

FOR INNOVATIONS SEE »



» www.ktm.com

Always consult your local authorized KTM dealer for the range of conversion parts, replacement parts, necessary mounting parts, as well as any and all part options for your particular KTM model.

KTM WILL NOT BE HELD LIABLE FOR IMPROPER INSTALLATION OR USE OF THIS PRODUCT. Please follow all instructions provided. Professional advice and proper installation of the KTM PowerParts by an authorized KTM dealer are essential to provide maximum safety and functions.

KTM North America reserves the right to alter or discontinue without replacement, equipment, technical details, colors, pricing, materials, services, service work etc. without notice and without reason, as well as to cease production of certain models without prior notice. For this reason, we recommend you ask your local authorized KTM dealer for further information before ordering or purchasing a specific model. KTM North America accepts no liability for printing errors.



KTM CARD™
Buy your KTM with KTM Factory Financing.
Apply at ktmusa.com (U.S. only).

KTM CARE™
An Extended Protection plan that's
as strong and reliable as your KTM.



KTM POWERPARTS
KTM POWERWEAR
KTM FINANCIAL SERVICE



KTM
AUTHORIZED DEALER

© 2009 KTM North America, Inc. KTM is a registered trademark of KTM North America, Inc.

Photo: H. Mitterbauer, R. Scheel, P. Mathis, reddy, KTM

www.ktm.com

POWERPARTS2010

» OFFROAD



POWERPARTS OFFROAD 2010



KTM North America, Inc.
1119 Milan Ave., Amherst, OH 44001
1375-1 Marie-Victorin, St-Bruno, Quebec J3V 6B7



KTM

INTRO »

Anyone who chooses a KTM chooses to equip themselves with what it takes to win. There is only one goal: to be the first one to cross the finish line. The track behind you may have been rocky, muddy, or dusty and for sure it wasn't easy, but deep down inside you want it to be as difficult as possible. The tougher the track the more your superior equipment shines in comparison to your competition and your toughness is the envy of those who finished behind you.

We can't improve upon your dedication, but with KTM PowerParts you have the ability to make your bike even lighter, more powerful, and more unique. All KTM PowerParts are designed to personalize your bike exactly the way you want it in order to bring the most out of your personal riding style. With the help of KTM Racing Champions providing input, testing, and years of racing experience KTM once again shows the companies how Championships are won using the highest quality hard parts in the industry, KTM PowerParts. Together we can make winning your habit.






SXS Carbon Parts »	4	Wheels »	78
SXS Suspension »	6	Chains »	82
SXS Engine Parts »	16	Sprockets »	84
SXS Exhaust 2-Stroke »	26	Brakes »	86
SXS Exhaust 4-Stroke »	32	Braking Discs »	92
Handlebar & Instruments »	38	Cooling System »	94
Lever »	48	Engine Protection 2-Stroke »	96
Headlamp »	50	Engine Protection 4-Stroke »	198
Plastic Parts »	52	Air Filter »	102
Decals »	56	Traveling »	104
Seats »	68	ATV »	106
Tanks »	70	Tools »	118
Wheels Supermoto »	74		



4 SXS CARBON PARTS »



U690.7831
 SX/XC 85/105 07-09
U690.7832
 SX/XC/EXC 250/300 04-10
U690.8892
 FITS SXS 250/300 EXHAUST
 PIPE SXS.08.300.500 ONLY
U690.9867
 XC 200 06-10

CARBON PIPE GUARD
 Great protection for your exhaust pipe.
 Prevents damage from rocks and debris.




U690.7829
 SX/XC/EXC 03-06
 XC/EXC 07

CARBON CHAIN GUIDE
 Preferred by most off road riders due to its flexibility, this carbon chain guide helps keep your chain in place.



U690.8894
 SX 450/525 04-06
 XC 06-07
 EXC 450/525 04-07

CARBON PIPE GUARD
 Great protection for your exhaust pipe.
 Prevents damage from rocks and debris.



SXS.07.250.030
 SX/XC 250/300 08-10

CARBON CLUTCH COVER PROTECTION
 Prevents damage from rocks and debris.



U690.7834

CARBON FORKGUARDS
 Provide protection to your forks while adding style. Lightweight and extremely durable. Fits 48 mm Forks



SXS.04.125.100
 SX/XC/EXC/SMR 03-10

CARBON FUEL TAP PROTECTION
 The same carbon fuel tap protection used by the factory team. Prevents damage from rocks and debris.



503.30.086.000
 SX/XC/EXC 125/144/150/200 98-10

CARBON CLUTCH COVER PROTECTION
 Prevents damage from rocks and debris.



U690.8895
 XC-F 250 07
 XC-F-W 07-09
U690.8896
 SX-F 250 07-10
 XC-F 250 08-09

CARBON PIPE GUARD



U690.8890
 SX-F/XC-F 450/505 07-10

CARBON SKID PLATE
 Lightweight and durable while offering superior protection to your frame and engine cases.



6 SXS SUSPENSION »

1418.7D1402	
SX/XC 125/150/200	07 – 10
1418.7D1502	
SX/XC 250	
SX-F/XC-F 250	07 – 10
EXC/XC-W 400/450/530	08 – 10
1418.7D1602	
SX-F/XC-F 450/505	07 – 10
1418.7D3002	
SMR	07 – 10

SXS FACTORY FORK

The SXS motocross closed cartridge front fork is a result of the teamwork from championship riders, race engineers and the WP development department.

The SXS front fork has multi-adjustable rebound and compression damping from the outside.

All parts have a high finish to eliminate friction and to guarantee optimum lubrication.

- polished springs
- inner tubes are coated and polished
- polished and coated aluminum piston rod
- hard anodized CNC machined parts

The SXS front fork is fully dismountable and internally serviceable.

It is possible to modify internal settings to create rider preferred damping performance.

Supermoto front fork: technically similar to the motocross fork, but with supermoto race-settings for medium to fast riding speeds. For the brake system please use a radial brake caliper of the SMR models (e.g. 586.13.015.044).

Works best in combination with the SXS factory shock.



1218.7D10	
SX/XC 125/150/200	07 – 10
1218.7D11	
SX/XC 250	
SX-F/XC-F 250	07 – 10
EXC/XC-W 400/450/530	08 – 10
1218.7D12	
SX-F/XC-F 450/505	07 – 10
1218.7D13	
SMR	08 – 10

SXS PDS FACTORY SHOCK

This absolute high-end shock absorber is a direct copy of the shock absorber as fitted in the KTM factory bikes competing in the off-road world-championships.


This suspension unit contains all external adjusting options:

- Separate adjustable high and low speed compression damping.
- Rebound damping adjuster.
- Infinitely adjustable spring preload.

The SXS shock absorber is assembled from quality parts with a high finish such as titan-nitride coated piston rod and hard anodized 7075 aluminum parts.

This product is completely dismountable, serviceable and offers the possibility to fine tune internal settings to rider preferences.

Works best in combination with the SXS front fork.




5200.0090 ALL USD FORKS \varnothing 48 mm (A)
5200.0091 ALL USD FORKS \varnothing 48 mm (B)

FORK PROTECTION STICKER SET
 Extra thick vinyl material to protect your fork against stones.



773.12.066.000
CLOSED CARTRIDGE

FORK AIRPUMP
 Use this tool to fine-tune your closed cartridge forks. The fork-pump allows you to adjust the pressure of the compression damping very exactly according to your setup wishes.



595.04.090.050

NEOPRENE PDS PROTECTOR
 Increases the life-span of the PDS lower bearings.



4860.0074.S9
EXC 07 - 10

PRE-LOAD ADJUSTER SET
 Allows you to easily adjust your pre-load settings.



U690.9807 CLOSED CARTRIDGE
SX/XC 07 - 10

SCREW CAP REMOVAL TOOL
 This is the tool you need to remove and install the compression valve assembly from your fork caps. Fits all KTM WP closed cartridge forks. A must have tool for every KTM technician.



780.04.905.000
SX / XC / EXC 08 - 10
SX-F 450 07

PRE-LOAD ADJUSTER REAR SHOCK
 Make on the fly preload adjustments with just a T wrench.



780.01.095.000 ALL USD \varnothing 48 mm

NEOPRENE FORK COVER
 Great protection for your forks. For use with closed style fork protection.



595.01.095.000 ALL USD \varnothing 48 mm
595.01.095.100 ALL USD \varnothing 43 mm


NEOPRENE FORK COVER
 Great protection for your forks. For use with open style fork protection.



SXS.08.300.040

SXS KNOB ADJUSTER SET
 CNC machined aluminum.





SXS.07.540.100
SX/XC/EXC/SMR 08-10

FACTORY START
Start like the factory pilots!



SXS.04.065.100 02-10
SX/XC 65
SXS.04.085.100
SX/XC 85/105
SXS.05.540.100 03-07
SX/XC/EXC
SMR 03-10

FACTORY START
Start like the factory pilots!



594.01.039.044 37 mm
594.01.039.144 47 mm

HANDLEBAR SUPPORT
Available in two different heights.



595.01.039.244 28 mm
595.01.039.144 22 mm

FACTORY HANDLEBAR SUPPORT
Three possible height adjustments, 28 mm, 37 mm, 46 mm, A for handlebar diameter 28 mm, B for handlebar diameter 22 mm.



SXS.08.125.610

BLEEDER VALVE SET
Specially designed for WP Fork bleeder valves, allows quick and accurate removal of built up, unwanted air inside your fork legs.



SXS.07.125.200
SX/XC/EXC/SMR

PHDS PROGRESSIVE HANDLEBAR DAMPING SYSTEM

- Advantages:
- Dampens headshake and hard hits.
 - Helps absorb vibrations from chassis and engine.
 - Handlebars additionally damped in horizontal direction.
 - Optimal steering precision.
 - Handlebar height adjustable in 2 positions.
 - Protects the hand and shoulder joints.
 - Additional damping elements allow for a personalized set-up.
 - CNC-machined.

PHDS bar pad: SXS.07.250.800. PHDS cannot be used in conjunction with steering damper 585.12.050.100.

U695.1003
SX/EXC/MXC 125/525 01-07

GPR STABILIZER
Version 2 for forged triple clamps. Post mount is included.

U690.8870
EXC 08

GPR STABILIZER
Version 2 for forged triple clamps. Post mount is included.



585.12.050.100

STEERING DAMPER
Stabilizer with three fully adjustable circuits. Has an adjustable damping control that allows 25 adjustment clicks while riding. Allows you to adjust the amount of degrees of damping you want from centerline. Has a "High Speed Circuit" designed to absorb those sharp edged jolts. Successfully works for every type of off-road application. Used by the KTM RALLY-FACTORY-TEAM.

812.12.005.344

BRACKET FOR STEERING DAMPER
To be used with 585.12.050.100.



U690.9815
SX/XC/EXC

GPR STABILIZER
Version 4. Slimmer dampener body. Raises the bar height by 13 mm. Post mount sold separately.

U690.9816
SX 01-06
XC/EXC 01-07

GPR STABILIZER ZZ POST MOUNT
To be used with U690.9815.

U690.9817
SX 07-10
XC/EXC 08-10

GPR STABILIZER FLUSH POST MOUNT
To be used with U690.9815.

585.12.050.044
FORGED TRIPLE CLAMP
585.12.050.144
MACHINED TRIPLE CLAMP
585.12.050.544
SXS TRIPLE CLAMP
585.12.050.444
SMR TRIPLE CLAMP

CLAMP FOR STEERING DAMPER
To be used with 585.12.050.100.



SXS.08.450.460
SX/XC/EXC

FACTORY TRIPLE CLAMP ORANGE
CNC machined, easily adjustable offset 19 or 22 mm. The fork or front wheel does not need to be removed for the offset to be changed. Set includes pivot tube and lower bearing. When mounted on an SX-F 450 2010 only the 22 mm offset position can be used. Otherwise there is a danger that the front wheel can make contact with the header pipe when the forks are fully compressed.



SXS.09.450.460
SX/XC/EXC

FACTORY TRIPLE CLAMP BLACK
CNC machined, easily adjustable offset 19 or 22 mm. The fork or front wheel does not need to be removed for the offset to be changed. Set includes pivot tube and lower bearing. When mounted on an SX-F 450 2010 only the 22 mm offset position can be used. Otherwise there is a danger that the front wheel can make contact with the header pipe when the forks are fully compressed.



594.01.099.019/30
SX/XC/EXC

FACTORY TRIPLE CLAMP
CNC machined, adjustable offset 18 or 20 mm. Set includes pivot tube and lower bearing. Using the triple clamp on EXC/XCW 400/450 2010 only the 20 mm offset should be used. Otherwise there is a danger that the front wheel can make contact with the header pipe when the forks are fully compressed. The triple clamp should be not mounted on a SX-F 450 2010 model.



594.01.099.019/04
SX/XC/EXC

FACTORY TRIPLE CLAMP
CNC machined, adjustable offset 18 or 20 mm. Set includes pivot tube and lower bearing. Using the triple clamp on EXC/XCW 400/450 2010 only the 20 mm offset should be used. Otherwise there is a danger that the front wheel can make contact with the header pipe when the forks are fully compressed. The triple clamp should be not mounted on a SX-F 450 2010 model.



460.01.099.018/04
SX/XC 65 02-10 18 mm OFFSET

FACTORY TRIPLE CLAMP
CNC machined. Set includes pivot tube and lower bearing.



470.01.099.014/04 14 mm OFFSET
470.01.099.020/04 20 mm OFFSET
SX/XC 85/105

FACTORY TRIPLE CLAMP
CNC machined. Set includes pivot tube and lower bearing.

WHAT SUITS YOU AND YOUR BIKE?

THE FASTEST CHOICE: POWERPARTS ONLINE.

Click onto the world of KTM PowerParts. The special search function guarantees you a fast overview of the parts available for your bike. Simply select the model type and year of construction and find out how you can make your KTM even lighter, more powerful and more individual.

WHICH PART FOR WHICH BIKE?



WWW.KTM.COM


POWERPARTS

Select Model year

Select Model type

Select Model

FIND NOW & SHOW »



WWW.KTM.COM



SXS.08.450.235
XC-W / EXC-R 400/450/530 08-10
SXS.07.450.235
SX-F / XC-F 450/505 07-10
SMR 450 08-10

SXS CLUTCH COVER OUTSIDE
CNC machined clutch cover with factory look.



SXS.09.300.245
SX / XC / EXC 250 07-10
XC / EXC 300 08-10

SXS CONTROL COVER
Add some "bling" to your KTM powerplant. Covers are constructed of aluminum and they look great! 1 piece.




SXS.05.450.200
SX / XC / EXC / SMR

SXS OIL PLUG
CNC machined aluminium.



SXS.07.450.245
SX-F / XC-F 450/505 07-10
SMR 450 08-10

SXS RETAINING PLATE
Add some "bling" to your KTM powerplant. Covers are constructed of aluminium and they look great! 1 piece.



SXS.09.450.031
SX-F / XC-F 450/505 07-10
SMR 450 08-10

FACTORY IGNITION COVER PLUG



SXS.10.450.265
SX-F / XC-F 450/505 07-10
SMR 450 08-10

FACTORY PRESSURE PUMP COVER



SXS.07.450.255
SX-F 450/505 07-10
SMR 450 08-10

SXS OIL FILTER COVER
Add some "bling" to your KTM powerplant. Covers are constructed of aluminium and they look great! 1 piece.



SXS.07.450.265
XC-W / EXC-R 400/450/530 08-10

SXS OIL PUMP COVER
Add some "bling" to your KTM powerplant. Covers are constructed of aluminium and they look great! 1 piece.



U695.1157
EXC 250/400/450/525 99-07
SX 450/525 00-06
SX-F 250 06-10
XC-F 250 07-09
SMR 450/560 04-07

SXS OIL FILTER COVER
Add some "bling" to your KTM powerplant. Covers are constructed of aluminium and they look great! 1 piece.



SXS.04.350.000
EXC 250 03-06

350 SXS KIT
Big Bore Kit, for more torque and more power.



SXS.03.540.550
SX 525 00-06
EXC 525 00-07
EXC 450 03-07

540 SXS KIT
Full 540 cc makes for huge amounts of torque and even more top-end power.



SXS.09.280.000
SX-F 250 06-10
XC-F 250 07-09

280 SXS KIT
Big Bore Kit, for more torque and more power.



SXS.10.150.051
SX 144/150 08-10

SXS CYLINDER HEAD
Cylinder head especially made for sand tracks with high thermal impact. 14,8 ml volume = less compression (standard: 13,8 ml).



590.12.045.444
SX 450/525 00-06
SMR 04-07

ELECTRIC START KIT 4-STROKE
For all motocross riders who want an electric start button. Includes stator and voltage regulator for battery charging. Battery not included.



551.12.045.044
XC 250/300 08

ELECTRIC START KIT 2-STROKE
For all riders who want an electric start button. Battery not included.



SXS.08.450.040
SX-F 450/505 07-10
XC-F 450/505 07-09

SXS INNER CLUTCH HUB
CNC machined, less mechanical wear, better response of your clutch.



SXS.08.450.030
SX-F 450/505 07-10
XC-F 450/505 07-09

HINSON OUTER CLUTCH HUB
CNC machined, less mechanical wear, less heat build up.

SXS.09.300.000
SX 250 08-10

300 SX KIT

Includes all necessary parts to convert a SX 250 top end into a SX 300 top end. For use with standard 250 jetting.

SXS.09.300.100
XC 250 07-10

300 XC KIT

Includes all necessary parts to convert a XC 250 top end into a XC 300 top end. For use with standard 250 jetting.

SXS.09.570.000
EXC-R 530 08-10

570 SXS KIT



SXS.09.505.000
SX-F 450 07-10

505 SXS KIT

SXS.10.450.600
SX-F 450 / 505 07-10
XC-F 450 / 505 07-09
SMR 450 08-10

FACTORY COOLER KIT

The special KTM factory radiators with enlarged radiation surface and better efficiency includes hoses and radiator protectors to keep the race engine cool to assure highest performance in every condition.

SXS.10.450.100
SX-F 450 / 505 07-10
XC-F 450 / 505 07-09

FACTORY CLUTCH KIT

When it comes to the clutch, nearly all factory teams use components made by HINSON. Machined basket and inner hub, pressure plate and a special disc package offers precise control and maximum reliability. Includes a machined clutch cover, which offers increased strength and gives a factory bike look.



SXS.10.250.600
SX-F 250 07-10
XC-F 250 07-09

FACTORY COOLER KIT

The special KTM factory radiators with enlarged radiation surface and better efficiency includes hoses and radiator protectors to keep the race engine cool to assure highest performance in every condition.

SXS.10.250.100
SX-F 250 07-10
XC-F 250 07-09

FACTORY CLUTCH KIT

When it comes to the clutch, nearly all factory teams use components made by HINSON. Machined basket and inner hub, pressure plate and a special disc package offers precise control and maximum reliability. Includes a machined clutch cover, which offers increased strength and gives a factory bike look.



SXS.10.450.000
 SX-F 450 07 – 10
 XC-F 450 07 – 09

FACTORY ENGINE KIT

In the MX1 world championship 2008 the 450 SX-F has proven its performance with many podium positions and several wins. The engine technology of the Max Nagl's and Jonathan Barragan's KTM factory bikes will now be available as the Factory-SXS-Kit, which improves significantly the performance and even the reliability of the 450 SX-F engine.

COMPONENTS

Crankshaft assembly

– KTM Motorsport has developed a special high-performance crankshaft assembly. The connecting rod is made by the race technology specialist PANKL. Ultra-precise machining and high quality steel guarantee less vibrations and improved reliability.

High compression piston

– A ultra light high compression forged piston of the 450 SX-F guarantees quicker response due to the reduced oscillating masses. A special piston pin developed for Formula-1 engines reduces the friction for improved performance and better reliability.

Camshaft assembly

– For the 450 SX-F DOHC cylinder head KTM Motorsport developed a perfect racing approved camshaft combination with optimized camshaft timing for maximal gas flow and higher overall performance.

Counter-balancers

– For minimal vibration level the KTM engineers reduced the weight of the counterbalancers to match perfectly with the reduced mass of the lightweight PANKL connecting rod.

Clutch assembly

– When it comes to the clutch nearly all factory teams mount components made by the American clutch specialist HINSON. Machined basket and inner hub, pressure plate and a special disc package stand for very precise control and maximal reliability.

Clutch cover

– Includes a machined clutch cover, which offers increased strength and gives a factory bike look.

Electric starter

– For the starter KTM Motorsport developed a special lightweight one-way clutch basket with oil drills for less friction in the electric starter train and optimal starting.

Radiators

– The special KTM factory radiators with enlarged radiation surface and better efficiency includes hoses and radiator protectors to keep the race engine cool to assure highest performance in every condition.

Motorsport CDI

– A special MSP CDI control unit for the ignition with an optimized mapping guarantees improved performance.

Gasket set

– For the assembly of the kit a complete set of gaskets is included.



SXS.10.250.000
 SX-F 250 07 – 10
 XC-F 250 07 – 09

FACTORY ENGINE KIT

KTM is known for the high performance level of the 250 SX-F engine. One more highlight for KTM was the 2008 GP season, which was clearly dominated by the orange machines made in Austria winning the MX2 world championship with Tyla Rattray. Apart from the KTM factory pilots Rattray and Searle many other riders were able to finish top 10 or even jump on the podium using KTM SXS bikes. For 2009 the level of the bikes can even be raised with availability of the KTM Factory-SXS-Kit. Improved performance, higher rpm level and optimal reliability guarantee top results also for the 2009 race season.

COMPONENTS

Crankshaft assembly

– KTM Motorsport has developed a special high-performance crankshaft assembly by mounting an exclusive extra-light connecting rod into the standard d 250 SX-F crankshaft made by the race technology specialist PANKL. Ultra-precise machining and high quality steel can stand the increased rpm level and guarantee less vibrations and improved reliability.

Piston

– A special piston pin, developed for Formula-1 engines reduces the friction for improved performance and better reliability.

Valve spring set

– The KTM Motorsport valve spring set includes weight reduced and stronger retainers and washers, which will stand the increased rpm level achieved in combination with all other components.

Camshaft assembly

– For the 250 SX-F DOHC cylinder head KTM Motorsport developed a perfect racing approved camshaft combination with optimized camshaft timing for maximal gas flow and higher overall performance.

Clutch assembly

– When it comes to the clutch nearly all factory teams mount components made by the American clutch specialist HINSON. Machined basket and inner hub, pressure plate and a special disc package offer very precise control and maximal reliability.

Clutch cover

– Includes a machined clutch cover, which offers increased strength and gives a factory bike look.

Gearbox

– KTM Motorsport's 3rd/4th sliding gear as well as 3rd gear are machined from high quality Aubert & Duvall steel for highest precision and reliability.

Radiators

– The special KTM Motorsport radiators with enlarged radiation surface and better efficiency includes hoses and radiator protectors to keep the race engine cool to assure highest performance in every condition.

Motorsport CDI

– Higher rpm and optimal engine efficiency are controlled by the KTM Motorsport CDI.

Gasket set

– For the assembly of the kit a complete set of gaskets is included.

773.11.053.100

FACTORY BATTERY 4,6 AH

1 kg lighter than battery 585.11.053.000 (4 Ah) and 0,7 kg lighter than battery 773.11.053.000 (3 Ah).



551.31.003.044

EXC/XC 2 STROKE 06-10

CARBURETOR HEATING

The heating kit avoids a frozen carburetor in winter.



590.31.017.200

all keihin carburetors

FACTORY MIXTURE CONTROL SCREW

Allows you to adjust the mixture without any additional tools.



SXS.08.250.035

all keihin carburetors

JET NEEDLE REMOVAL TOOL

Easy needle removal.



SXS.08.250.030

keihin carburetors 04-10

SXS ACCELERATION PUMP SPRING

Increase performance of the acceleration pump indicating a better response from your engine.

770.32.100.000

SX-F 250

07-10

XC-F 250

07-09

773.32.000.100

SX-F 450/505

07-10

XC-F 450/505

07-09

SMR 450

09-10

780.32.000.100

EXC-R/XC-W 400/450/530

08-10

ANTIHOOPING CLUTCH

This anti-hopping or "slipper" clutch is a must for any ambitious rider. Everyone knows about rear wheel hopping: heavy braking in a curve can lead to unnerving shuddering at the rear wheel. Resourceful engineers have now come up with the solution: the anti-hopping clutch. The APTC is a worldwide patented slipper clutch that features a unique hub consisting in two parts connected by an helix profile.

This complex mechanism using angled layers for additional friction was developed to prevent clutch-slippage: under engine-load this system generates additional pressure on the clutch plates, but when over-running the clutch is able to slip.

The power torque feature of the APTC guarantees riders maximum rear-wheel grip during acceleration and anti-hopping or "slipping" during downshifting. By maximizing rider control, the APTC allows for greater speeds going into and coming out of turns.

This design, unlike all other slipper clutches on the market, makes it also much easier to pull the clutch lever (~50% less pressure is required) and eliminates clutch lever vibration, helping the rider saving a lot of energy and sparing himself the discomfort of a cramped forearm.

A Supermoto rider could appreciate a better control while braking, without any rear wheel hop even during heavy braking and hard downshifting. The smoother engine output on the ground brought by the power torque characteristic of the APTC allows the rider to open the throttle earlier, for a far more rapid ascent to top speed. The absence of any clutch lever vibration allows the rider, unlike all other slipper clutches on the market, to pull the clutch in the off-road section of the track, for a better control of the bike.

An Enduro rider can appreciate better control while braking, a smoother clutch feel, and better settling of the rear wheel when hitting breaking bumps before a curve. The light clutch lever load is also a vital anti-fatigue factor in extra long races. You will also notice the difference coming from a more constant and stable performance of the clutch under extreme use.

A Motocross rider on the other side will discover a better control while braking, and, especially, a smoother engine output on the ground: this form of traction control allows the rider to open the throttle earlier, for a far more rapid ascent to top speed. The light clutch lever load brings much less fatigue and arm pump, helping the rider to perform more laps without going over the limits, consequently committing less riding errors.



780.13.900.000

LEFT HAND BRAKE KIT

For use with automatic clutch. Allows braking the rear wheel with your left hand.



548.32.900.000

SX/XC/EXC 250/300

04-10

780.32.900.000

EXC-R/XC-W 400/450/530

08-10

770.32.900.000

SX-F 250

06-10

XC-F 250

07-10

AUTOMATIC CLUTCH

KTM is proud to present you one of the biggest innovations in the sport of off road racing, The Rekluse Z-Start Pro Automatic Clutch! The advantages are simple: increased traction in any riding situation, less "arm pump" and fatigue, allowing for more aggressive riding. Perfect control of traction by the throttle. By removing the worry of clutch control you can fully concentrate on the track and ride with even more confidence. Due to the soft opening of the centrifugal clutch in lower rpm's, you can not stall the engine and additionally the traction increases dramatically. By adding the optional hand lever (780.13.900.000) for the rear brake, it gives additional control on difficult downhills. From novice to expert level riders, all of our test pilots love this clutch!



SXS.08.050.500
50 LC SENIOR 01-08
SXS.09.050.500
SX 50 09-10

SXS FACTORY PIPE



SXS.08.065.500
SX/XC 65 02-08
SXS.09.065.500
SX 65 09-10

SXS FACTORY PIPE



SXS.08.050.550
50 LC SENIOR 01-08
U690.6850
SPARK ARRESTOR VERSION
50 LC SENIOR 01-08
SXS.09.050.550
SX 50 09-10
SXS.09.050.560
SPARK ARRESTOR VERSION
SX 50 09-10

SXS FACTORY SILENCER



SXS.08.065.550
SX/XC 65 02-08
U690.6853
SPARK ARRESTOR VERSION
SX/XC 65 02-08
SXS.09.065.550
SX 65 09-10
SXS.09.065.560
SPARK ARRESTOR VERSION
SX 65 09-10

SXS FACTORY SILENCER

SXS FACTORY PIPE

The FMF-SXS pipe is the cornerstone of FMF's history. With 35 years of racing experience behind it, this pipe is the industry benchmark. Our philosophy is simple – give you more power. More at the crack of the throttle, more in the meaty part of the powerband and more over the top. FMF was also the first to introduce a nickel plated finish that would not rust. The SXS-FMF pipes are a lasting symbol of FMF's heritage and dedication to performance.

- Broader, smoother powerband.
- More tractable power, better throttle control.
- 19 gauge carbon steel, durable nickel plated finish.
- Includes O-rings.

SXS FACTORY SILENCER

The FMF-SXS silencer is the benchmark of performance silencers. With its extruded, anodised aluminum canister, integrated mount, formed stainless steel endcaps, mandrel bent stainless steel stinger and Hi-Flow engineering, the FMF-SXS silencer looks and functions like a true Factory exhaust. High quality packing is made to meet KTM standards for performance and durability.

- Factory performance.
- Hi-Flow technology.
- Unbeatable durability.
- Easily serviced for repacking.



SXS.08.085.500
SX/XC 85/105

SXS FACTORY PIPE



SXS.08.085.550
SX/XC 85/105
U690.6855
SPARK ARRESTOR VERSION
SX/XC 85/105

SXS FACTORY SILENCER



SXS.05.085.390
SX/XC 85

SXS CDI UNIT

High performance CDI to be used in combination with the SXS exhaust on the KTM SX/XC 85. The ignition timing was specially optimized for this exhaust system through extensive testing. This ignition control unit is like that normally only found on our factory machines.



SXS.08.300.500
 SX 250 03 – 10
 XC/EXC 250/300 04 – 10
SXS.08.200.500
 XC 200 07 – 10

SXS FACTORY PIPE



SXS.08.144.500
 SX/XC 144/150 07 – 10
 SX 125 04 – 10

SXS FACTORY PIPE

SXS FACTORY PIPE

The FMF-SXS pipe is the cornerstone of FMF's history. With 35 years of racing experience behind it, this pipe is the industry benchmark. Our philosophy is simple – give you more power. More at the crack of the throttle, more in the meaty part of the powerband and more over the top. FMF was also the first to introduce a nickel plated finish that would not rust. The SXS-FMF pipes are a lasting symbol of FMF's heritage and dedication to performance.

- Broader, smoother powerband
- More tractable power, better throttle control
- 19 gauge carbon steel, durable nickel plated finish
- Includes O-rings



SXS.08.125.550
 SX 125/144/150 04 – 10
U690.9831
 SPARK ARRESTOR VERSION
 SX 125/144/150 04 – 10

SXS FACTORY SILENCER

SXS FACTORY SILENCER

The FMF-SXS silencer is the benchmark of performance silencers. With its extruded, anodized aluminum canister, integrated mount, formed stainless steel endcaps, mandrel bent stainless steel stinger and Hi-Flo engineering, the FMF-SXS silencer looks and functions like a true Factory exhaust. High quality packing is made to meet KTM standards for performance and durability.

- Factory performance
- Hi-Flo technology
- Unbeatable durability
- Easily serviced for repacking



SXS.08.300.550
 SX/XC/EXC 200/250/300 98 – 10
U690.9832
 SPARK ARRESTOR VERSION
 XC/EXC 200/250/300 98 – 10

SXS FACTORY SILENCER

KTM

SXS.10.150.560
SX 125/144/150 04-10

SXS FACTORY SILENCER



SXS.09.300.560
XC/EXC 200/250/300 98-10
SXS.10.250.550
SX 250 98-10

SXS FACTORY SILENCER

Akrapovic has brought their 4 stroke expertise and dedication to remarkable craftsmanship and applied it to our new line of 2 stroke silencers. Minimum weight, maximum top-end performance, and a perfect torque curve. It also has a very responsible noise level.



U690.7858
 SX-F 450/505 07-10
 XC-F 450/505 07-09

TITANIUM MEGABOMB HEADER

Titanium header for your 450 SX-F/XC-F!
 Also designed and engineered with our race teams, it provides excellent power gains. Recommended for motocross use. Note: For 2010 SX-F 450 mounting only possible with the U690.6859 or U690.6873 silencer.



U690.6870
 SX-F 250 07-10
 XC-F 250 07-09

TITANIUM MEGABOMB HEADER



U690.6872
 XC-F 250 07

STAINLESS STEEL POWERBOMB HEADERS

This stainless steel header offers a durable option for your exhaust system. The PowerBomb configuration delivers great performance gains and a smooth delivery of power. Recommended for off-road use.



U690.9868
 EXC/XCW 450 08-10
U690.9874
 EXC/XCW 530 08-10

STAINLESS STEEL POWERBOMB HEADERS

U690.8812
 SX-F 250/450/505 07-10
 EXC-R 450/530 08-10
 XC-F 250 07-09

SPARK ARRESTED EXHAUST TIPS

This precision machined end cap replaces the stock end cap on your stock silencer. It features a unique shape to help keep the noise levels down and a removable spark arrestor screen.



U695.1379
 SX-F 250 05-06
 XC/EXC 400/450/525 04-07

EXHAUST GUARD

Mounts to the frame and helps to keep you from frying your riding gear.



U690.8875
 SX-F 250/450/505 07-10
 XC-F 250/450/505 07-09
 EXC-R 450/530 08-10

EXHAUST GUARD



U690.6865
 SX 400/525 04-06
 XC/EXC 400/525 04-07

TITANIUM 4.1 SILENCER

Titanium silencer features chamber-core technology, factory forward engineering, which centralizes mass and helps improve handling. Saves weight and improves performance. New mount provides excellent support and easy support. For stock headers only.

U690.7859
 SX-F 450/505 07-10
 XC-F 450/505 08-09

TITANIUM 4.1 SILENCER

This silencer was developed specifically for the 450/505 SX-F/XC-F. Fits Stock & FMF Headers. Note: For 2010 SX-F 450 mounting possible only with the U690.7858 Factory Header.

SXS.09.450.512
 SX-F 250/450/505 07-10
 EXC/XC-F 250/450/530 08-10

FMF SLIP-ON SILENCER

Quality made aluminum canister offers a reduction in weight while improving performance. Light weight design for the budget minded rider. Removable Spark Arrestor. For stock headers only.



U690.6873
 SX-F/XC-F 250 07-09
 SX-F 450/505 07-10
 XC-F 450/505 08-09

TITANIUM 4.1 SILENCER

The premium silencer for your SX-F/XC-F. Used by our factory offroad teams this silencer delivers weight reductions and performance gains. Features include a removable insert and an adapter which allows it to fit both stock and FMF headers. Spark arrested. Note: For 2010 SX-F 450 mounting possible only with the U690.7858 Factory Header.



U690.6871
 SX-F 250 06-09
 XC-F 250 07-09

TITANIUM SILENCER

This titanium silencer is the silencer of choice for the factory team. Specifically designed and engineered with our race teams, it provides excellent power gains when combined with the MegaBomb headers.





SXS.07.250.535
 SX-F 250/450/505 07-10
 XC-F 250 07-09
 EXC-R 400/450/530 08-10
SXS.10.450.535
 FOR SXS.10.450.550

SXS EXHAUST GUARD CARBON
 Mounting possible with SXS factory silencer and original silencer.



SXS.08.450.512
 SX-F 250/450/505 07-10
 EXC-R 400/450/530 08-10
 SX/EXC 250/400/450/525 04-07
 SMR 04-10
 XC-F 250 07-09

SXS SLIP-ON FACTORY SILENCER
 The Akrapovic SLIP-ON system is a starting-level tuning component for Enduro and Motocross. It is an excellent combination of price, performance, top-quality materials and production quality. Muffler inserts can be removed for motocross. Mounting only possible with original headers. 25% weight reduction. Spark arrested.



SXS.08.530.512
 EXC-R 400/450/530 08-10
 XC-F 250 08-09
 SX-F 250/450/505 07-10

SXS TITAN FACTORY SILENCER
 The Akrapovic system is designed for enduro riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. The system comes with the hexagonal design muffler, which goes great with the sharp lines of your KTM. Muffler inserts can be removed. Mounting possible with original headers. With EXC-R 400/450/530 also with SXS factory headers possible. Spark arrested.



SXS.10.450.550 TITANIUM
 EXC-R 400/450 08-10
SXS.08.530.550 TITANIUM
 EXC-R 530 08-10

SXS FACTORY HEADERS
 Mounting possible with SXS factory silencer and original silencer.



SXS.07.250.500 Titanium
 SX-F 250 06-10
 XC-F 250 07-09

SXS.07.250.501 Stainless steel
 SX-F 250 06-10
 XC-F 250 07-09

SXS FACTORY HEADERS
 Mounting possible only with SXS factory silencer.

SXS.07.250.512
 SX-F 250 06-10
 XC-F 250 07-09

SXS TITAN FACTORY SILENCER
 The Akrapovic system is designed for enduro riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. The system comes with the hexagonal design muffler, which goes great with the sharp lines of your KTM. Muffler inserts can be removed. Mounting possible only with SXS factory headers. Spark arrested.

SXS.09.250.502
 SX-F 250 06-10

SXS TITAN FACTORY SILENCER
 The Akrapovic system is designed for motocross riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. The system comes with the hexagonal design muffler, which goes great with the sharp lines of your KTM. Muffler inserts can be removed. Mounting possible only with SXS factory headers.

SXS.08.250.500 Titanium
 SX-F 250 06-10
 XC-F 250 07-09

SXS FACTORY HEADERS
 With the modified headers including chamber you get more power at lower rpm's. Another Positive result of the additional chamber is also the lower noise, approximately 1 decibel. Mounting possible only with SXS factory silencer.





SXS.09.450.502
 SX-F 450/505 07-10
 XC-F 450/505 07-09

SXS TITANIUM FACTORY SILENCER

The Akrapovic system is designed for motocross riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. The system comes with the HEXAGONAL design muffler, which goes great with the sharp lines of your KTM. Muffler inserts can be removed. Mounting possible only with SXS factory headers.



SXS.04.250.512
 SX 450/525 00-06
 EXC 400/450/525 00-07
 SMR 04-07

SXS TITANIUM FACTORY SILENCER

This Akrapovic system will give you advantages which will be exceptionally useful in demonstrating your authority on the track. It is produced from top-quality materials such as titanium, which guarantees minimal weight with optimal compactness. Of course, in addition to increased performance and aesthetic enhancement, 25% weight reduction and more power; muffler inserts can be removed. Mounting only possible with SXS factory headers. Spark arrested.

SXS.07.450.500 TITANIUM
 SX-F 450/505 07-10
 XC-F 450/505 07-09
SXS.07.450.501 STAINLESS STEEL
 SX-F 450/505 07-10
 XC-F 450/505 07-09

SXS FACTORY HEADERS

Mounting possible only with SXS factory silencer.



SXS.04.540.500 Titanium
 SX 525 04-06
 EXC 400/450/525 04-07
 SMR 525/560 04-07

SXS.04.540.501 Stainless steel
 SX 525 04-06
 EXC 400/450/525 04-07
 SMR 525/560 04-07

SXS FACTORY HEADERS

Mounting possible only with SXS factory silencer.



SXS.10.450.500 TITANIUM
 SX-F 450/505 07-10
 XC-F 450/505 07-09

SXS FACTORY HEADERS

With the modified headers including chamber you get more power at lower rpm's. In addition, the chamber it helps lower the sound level. Mounting only with SXS factory silencer possible.



630.02.021.100

GRIP SET DUAL COMPOUND

KTM dual compound grips combine the durability of KTM Firm Compound Grips with the feel and absorption qualities of the KTM range of softer compound grips. Harder orange compound is used for the flange, inner sleeve and outer-end of the grip for maximum durability, where as softer black compounds are used for the outer diameter of the grip, which is in direct contact with the palm, fingers and thumb.

630.02.021.200

GRIP SET DUAL COMPOUND

Similar to 630.02.021.100 but with hole for handguards or bar ends.



548.02.021.000

GRIP SET HALF-WAFFLE, SOFT

The grips have been designed according to the demands and recommendations of professional riders. The goals were COMFORT and SAFETY: to reduce riding stress, to combat blistering on the fingers and the palms of the hands, and to provide a more secure grip.

FEATURES:

- Inclined anatomical shape to ensure palm comfort.
- Two versions with different materials and colours: light material is soft, dark is medium-soft.
- Three moulded safety wire grooves.
- Half-waffle pattern.
- Anatomical end-piece for lateral hold.



548.02.021.100

GRIP SET HALF-WAFFLE, MEDIUM



U695.1716

GRIP DOUGHNUTS SET

Helps keep those nasty blisters off your thumb.



780.12.016.000

STRAP FRONT



780.12.017.000
SX/XC/EXC 04-10

STRAP REAR





780.02.005.000 / 04
780.02.005.000 / 30

BAR ENDS



548.02.005.000

BAR ENDS

Eliminates the need to replace ripped-up grips from typical end wear.



548.01.043.012
SX / XC / EXC / SMR 12 mm
548.01.043.020
SX / XC / EXC / SMR 20 mm

HANDLEBAR RISER

Mounting only possible together with handlebar support 590.01.039.100.



590.01.039.144
SX / XC / EXC / SMR

HANDLEBAR MOUNTING KIT

For mounting handlebars with diameter of 28 mm instead of 22 mm.



772.02.002.000
SX / XC / EXC / SMR

BAR PAD


Already required in many competitions.



U690.9855
SX 50 99 - 08

BAR PAD

A perfect match with our team graphics kits, and provides great triple clamp area protection.



SXS.07.250.800
SX / SMR

BAR PAD PHDS


Provides great protection around the triple clamps.



U690.9856
SX 65 / 85 / 105 05 - 10

BAR PAD

A perfect match with our team graphics kits, and provides great triple clamp area protection.



U695.1392 FATBAR 608 BEND
SX / XC / EXC

ORANGE RENTHAL BARS

Used by championship teams around the world. Orange anodized color available exclusively from KTM. Dimensions: Height: 95, width: 808, sweep: 38.



U695.0996
SX 50
U695.0997
SX 65 / 85 / 105

ORANGE RENTHAL BAR

Made exclusively for KTM these Renthal bars look and perform great.

U695.1393
SX / XC / EXC 999 BEND

TWINWALL RENTHAL HANDLEBAR

Twinwall construction – Consists of two aluminum alloy tubes one within the other – Outer tube is 7010 T73, which has extreme resistance to mechanical damage and is anodized to prevent corrosion.

Inner tube is ultra high strength 7010 T6 Aluminum and is hard anodized to resist wear from twist grip and controls. Rubber seals cover the joint to keep out water and cleaning fluids. Exclusive KTM orange design. Laser etched positioning grid. Comes fitted with bar pad. Height: 83, width: 805, sweep: 55.



600.02.079.100/04
 600.02.079.100/30
 470.02.079.000/04
 SX 65/85/105

HANDGUARDS

Includes all necessary adaptors for handlebars with 22 mm or 28 mm diameters.



780.02.079.020/30

SPOILER FOR MX HANDGUARDS

780.02.079.000/04
 780.02.079.000/20
 780.02.079.000/30

MX HANDGUARDS

With their split segments, the new KTM hand guards offer a lightweight and uncompromising racing look in the latest KTM design. Two-component injection moulding technology is used here, offering protection for your most important "operating controls" – your hands – in the most critical situations. The black mid-section provides maximum strength, ensuring optimum protection. The orange top and bottom segments are extremely flexible and can tolerate the roughest handling. For extremely muddy conditions it is possible to mount an additional spoiler: SX/XC/EXC 780.02.079.020/30, fits on all models.



U695.1375
 28 MM FATBARS RENTHAL/NEKEN
 U695.1376
 SLIDERS 2-PACK
 U695.1381
 22 MM BARS SX 65/85
 U695.1406
 28 MM BARS MAGURA

PROBEND HAND GUARDS

The KTM Pro Bend hand guards feature rugged aluminum bars that are shaped to give your hands and levers plenty of space. In addition, they have C shaped mounting brackets for easy routing of cables and hoses. The high impact plastic hand shields have a sleek profile that offers the perfect balance of protection and style.



770.02.079.000/04

SX/EXC	00-08
SX/XC 250/300	09-10
EXC/XC-W 400/450/530	09-10
XC-F/XCF-W 250	06-09
770.02.079.100/04	
SX 125/150	09-10
XC 150/200	09-10
SX-F 450/505	09-10
XC-F 450/505	09

HANDGUARDS

With their split segments, the new KTM hand guards offer a lightweight and uncompromising racing look in the latest KTM design. Two-component injection moulding technology is used here, offering protection for your most important "operating controls" – your hands – in the most critical situations. The black mid-section provides maximum strength, ensuring optimum protection. The orange top and bottom segments are extremely flexible and can tolerate the roughest handling.



SXS.05.450.600

HOUR METER

A great tool that will help you keep your KTM properly maintained.



SXS.05.450.644

HOUR METER BRACKET

For mounting the Hour Meter to your triple clamp.



451.29.075.000

REV METER

Usable on 4-stroke and 2-stroke engines, displays up to 16,000 rpm.



590.02.025.200

SX 450/525	04-06
SX-F 450/505	07-10
XC-F 450/505	07-09

HOT-START CABLE

No more fiddling under the tank. Assembly only possible on carburetors with hot-start button.



548.14.073.000

EXC 05-10

TRIPMASTER SWITCH




590.02.025.100

SX 450/525	04-06
SX-F 450/505	07-10
XC-F 450/505	07-10

HOT-START CABLE

No more fiddling under the tank. Assembly only possible on carburetors with hot-start button.



U695.1982

SX / XC 65/85/105

HANDBRAKE CYLINDER COVER

CNC machined.



SXS.05.450.210

SX / XC / EXC BREMBO

HANDBRAKE CYLINDER AND HYDRAULIC CLUTCHCOVER

CNC machined. Fits on all Brembo Hydraulic clutch and brake systems.



SXS.06.450.230

SX / XC 250/525 4-STROKE BREMBO

HYDRAULIC CLUTCH COVER

CNC machined. Fits on all Brembo Hydraulic clutches.



SXS.09.450.210

SX 125/144/150	09-10
XC 150/200	09-10
SX-F 450	09-10

HYDRAULIC CLUTCH COVER

CNC machined.



SXS.05.450.220

SX / XC / EXC 125/300 2-STROKE	00-08
SX / XC 85/105	03-10
SX / XC 65	02-10

HYDRAULIC CLUTCH COVER

CNC machined. Fits on all Magura Hydraulic clutches.



SXS.05.450.230

SX / EXC 250/525 4-STROKE	00-05	MAGURA
SX-F 450/505	06-08	

HYDRAULIC CLUTCH COVER

CNC machined. Fits on all Magura Hydraulic clutches.





U695.1345

GRIP HEATERS

Universal Fit for most bikes and features a high and low setting. Installation by an experienced KTM Technician recommended.



U695.1153

THROTTLE CAM SYSTEM 2 STROKE

U695.1154

THROTTLE CAM SYSTEM 4 STROKE

This system alters the ratio between hand-throttle rotation to give the rider more throttle control and better stability in various conditions. This kit includes a precisely machined aluminum throttle tube and three different cams for the different conditions you may encounter. Tube features a pop-out end for use with handguards.



502.12.040.000/30

RACING MIRROR, LEFT

Light and robust.



620.02.903.000
SX / XC / EXC

SUPPORT FOR GPS/PDA BAGS

For mounting on the stock handlebar supports.

620.02.903.050

GPS/PDA BAG SMALL

Dimensions: 140 x 90 x 35. Carries various "mnemonic"-, navigation- and communication devices. Dry and shock secured.



620.02.903.150

GPS/PDA BAG LARGE

Dimensions: 170 x 130 x 35.



780.02.831.100/04
SX/XC/EXC

FLEX CLUTCH LEVER

Fits on all Brembo hydraulic clutch system. Ever DNF due to a broken lever? Installing these levers will keep that from happening. Designed to bend away.



U695.1397
SX/XC/EXC 98-08

FLEX CLUTCH LEVER

Fits on all Magura hydraulic clutch system through model year 2008.

780.13.802.000/04
SX/XC/EXC

FLEX BRAKE LEVER

Fits on all Brembo hydraulic clutch system. Ever DNF due to a broken lever? Installing these levers will keep that from happening. Designed to bend away.

U695.1399
SX 65/85/105

FLEX CLUTCH LEVER

Ever DNF due to a broken lever? Installing these levers will keep that from happening. Designed to bend away.

462.13.802.000/04
SX/XC 65/85/105

FLEX BRAKE LEVER

Ever DNF due to a broken lever? Installing these levers will keep that from happening. Designed to bend away.

503.02.042.200
SX/XC/EXC 05-08

CLUTCH AND BRAKE LEVER SET

Made of high strength plastic; lever for hydraulic clutch only fits Magura Version through 08.



780.13.802.000
SX/XC/EXC

FLEX BRAKE LEVER SILVER

Fits on all hydraulic Brembo brake systems. Ever DNF due to a broken lever? Installing these levers will keep that from happening. Designed to bend away.



780.13.902.000/04
SX/XC/EXC

BRAKE LEVER

Made out of high strength aluminium and orange anodized. Fits on all hydraulic Brembo brake systems.



780.02.931.200/04
SX/XC/EXC

CLUTCH LEVER

Made out of high strength aluminium and orange anodized. Fits on all hydraulic Brembo clutch systems.



780.02.931.100/04
SX/XC/EXC

CLUTCH LEVER

Made out of high strength aluminium and orange anodized. Fits on all Magura hydraulic Brembo brake systems where the flex lever is mounted.



780.02.931.000/04
SX/XC/EXC

CLUTCH LEVER

Made out of high strength aluminium and orange anodized. Fits on all Magura hydraulic clutch system through model year 2008.



KTM



548.11.909.000
EXC 05-07

HEADLAMP GRID

For headlightmask
548.08.001.000/04,
548.08.001.000/20 and
548.08.001.000/30.



780.14.901.000/30
EXC / XC-W 400/450/530
780.14.901.100/30
XC MODELS

X2 LIGHT

Adding HID lighting to your KTM has never been easier. We have removed the guesswork for simple plug and play operation. This light includes a 2" spot light for distance and a 4" driving lamp for great peripheral visability. Must be used with 551.39.904.000 or 780.39.904.000 stator kit. Not DOT approved, off road use only. Perfect for all 24hr racers! Orange startnumber background 780.08.907.000/04 available.



780.11.909.100/30
EXC 08-10

HEADLAMP GRID



551.39.904.000
XC 250
XC 300
780.39.904.000
EXC / XC-W 400/450/530
XC-F 250

STATOR KIT

This plug and play kit gives your bike the necessary output to run the X2 HID lighting system. Note: the 551.39.904.000 is only compatible with 2 stroke models with electric start.



KTM



U690.9869	09-10
SX 50	09-10
U695.1306	02-08
SX 50	02-08
U695.1307	02-08
SX 65	02-08
U695.9870	09-10
SX 65	09-10
U695.1308	03-09
SX 85/105	03-09
U695.1330	
U695.1331	
XC/EXC	05-07
U690.7875	
U690.7876	
U690.7877	
SX	07-10
U690.9871	
U690.9872	
U690.9873	
EXC	08-10

FACTORY PLASTIC KITS

A convenient and more cost efficient way to renew your bike's bodywork. Kits available in orange, black and white. Contact your local KTM dealer for kit contents.

773.06.001.110/04	
773.06.001.110/30	
773.06.001.110/20	
SX	07-10
XC/EXC/SMR	08-10

AIRBOX PART RIGHT

773.06.003.000/04	
773.06.003.000/30	
773.06.003.000/20	
SX	07-10
XC/EXC/SMR	08-10

AIRBOX COVER

773.08.007.044/04	
773.08.007.044/30	
773.08.007.044/20	
SX	07-10
XC/SMR	08-10

START NUMBER PLATE

780.08.001.000/04	
780.08.001.000/30	
780.08.001.000/20	
EXC	08-10

HEADLIGHT MASK

780.08.013.000/04	
780.08.013.000/30	
780.08.013.000/20	
SX	07-10
XC/EXC/SMR	08-10

REAR PART

773.08.054.100/04	
773.08.054.100/30	
773.08.054.100/20	
SX	07-10
XC/EXC	08-10

SPOILER SET

773.08.210.000/04	
773.08.210.000/30	
773.08.210.000/20	
SMR	08-10

FRONT FENDER

773.08.010.000/04	
773.08.010.000/30	
773.08.010.000/20	
SX	07-10
XC/EXC	08-10

FRONT FENDER







773.35.034.000 / 04
773.35.034.000 / 30
SX 07-10
XC/EXC/SMR 08-10

RADIATOR PROTECTION
Fits on left and right side. Sold Individually.




462.03.094.000
SX 65 09-10

FRAME PROTECTION SET
Reliably prevents damage to the frame paintwork from dirt, crashes or the rider's boots.



773.03.094.100
SX 07-10
XC/EXC/SMR 08-10

FRAME PROTECTION SET
Reliably prevents damage to the frame paintwork from dirt, crashes or the rider's boots. It is a heat protection for your pants and boots on the exhaust side.



U690.7880
U690.7881
SX 07-10
XC/EXC 08-10

RUBBER-BACKED POLY RESIN FRAME GUARDS



U690.8818
EXC 07-10

EXC LICENSE PLATE HOLDER
Recommended bracket for mounting the license plate on your street legal EXC. Features multiple bolt patterns to hold plates from any state.



780.01.094.100 / 04
780.01.094.100 / 20
780.01.094.100 / 30
SX/XC/EXC 01-10

FORK PROTECTION SET



U690.7750
 SX 05-06
 XC/EXC 05-07

USA FACTORY GRAPHICS KIT




503.08.198.000
 EXC 05-07

SIXDAYS DECAL SET



780.08.199.400
 EXC 08-10

SIXDAYS DECAL SET





462.08.199.000
SX 65 09-10

USA FACTORY GRAPHICS KIT



452.08.199.000
SX 50 09-10

USA FACTORY GRAPHICS KIT



780.08.190.300
SX 07-10
XC/EXC 08-10

CHROME STICKER KIT



780.08.190.000
SX 07-10
XC/EXC 08-10

FACTORY GRAPHICS KIT





U690.7751	06 - 10
SX / XC 85 / 105	
U690.7752	02 - 08
SX / XC 65	
U690.7753	02 - 08
SX 50	

USA FACTORY GRAPHICS KIT



U690.8761	08 - 10
SX / XC / EXC	
U690.8760	08 - 10
SX / XC / EXC	

RACING GRAPHIC KIT



503.08.199.000	
SX	98 - 06
EXC	98 - 07

UNIVERSAL FACTORY GRAPHICS KIT

This sticker kit allows you to use the latest graphics also on your older KTM. A transparent foil on the sticker with the different outlines for each model year, shows you how to cut it to fit your bike!



780.08.190.200
 SX 07-10
 XC/EXC 08-10

GRAVITY FX GRAPHIC KIT



000.10.000.048
 SX 07-10
 XC/EXC 08-10

GRAVITY FX PLASTIC KIT

Following parts are included: graphic kit, start numberplate, headlightmask, spoiler left and right, front fender and rear part, airboxcover right and airboxcover left.
 Note: All plastic is black.



3PW102242 (S/30)
 3PW102243 (M/32)
 3PW102244 (L/34)
 3PW102245 (XL/36)
 3PW102246 (XXL/38)

GRAVITY-FX PANTS

3PW102342 (S)
 3PW102343 (M)
 3PW102344 (L)
 3PW102345 (XL)
 3PW102346 (XXL)

GRAVITY-FX SHIRT

3PW102742 (S/8)
 3PW102743 (M/9)
 3PW102744 (L/10)
 3PW102745 (XL/11)
 3PW102746 (XXL/12)

GRAVITY-FX GLOVES





773.08.190.700
SX/XC/EXC 08-10

RACING GRAPHIC KIT WHITE
Seat cover not included.



773.08.190.800
SX/XC/EXC 08-10

RACING GRAPHIC KIT BLACK
Seat cover not included.



773.07.940.050
SX/XC/EXC 08-10

SEAT COVER



548.08.190.300
SX 05-06
EXC/SMR 05-07

RACING GRAPHIC KIT WHITE



548.08.190.400
SX 05-06
EXC/SMR 05-07

RACING GRAPHIC KIT BLACK





548.08.088.200/20
 548.08.088.200/30
 548.08.088.200/80
 SX 05-06
 EXC 05-07

NUMBER PLATE BACKGROUNDS
 4 parts.



780.08.088.000/20
 780.08.088.000/30
 780.08.088.000/67
 780.08.088.000/80
 XC/EXC 08-10

NUMBER PLATE BACKGROUNDS
 3 parts.



770.08.998.000
 XC-F/EXC 450/530 08-10
 773.08.998.000
 SX 07-09
 SMR 08-10
 548.08.998.000
 XC 200/250/300 08-10
 462.08.998.000
 SX 65 09-10

TANKPAD SET



U695.1087


HUB DECAL KIT

12345
 67890

322.100 NR. 0	322.200 NR. 0
322.101 NR. 1	322.201 NR. 1
322.102 NR. 2	322.202 NR. 2
322.103 NR. 3	322.203 NR. 3
322.104 NR. 4	322.204 NR. 4
322.105 NR. 5	322.205 NR. 5
322.106 NR. 6	322.206 NR. 6
322.107 NR. 7	322.207 NR. 7
322.108 NR. 8	322.208 NR. 8
322.109 NR. 9	322.209 NR. 9

STARTNUMBERS WHITE
 5" high, 3 pieces.

STARTNUMBERS BLACK
 5" high, 3 pieces.



773.08.088.000/20
 773.08.088.000/30
 773.08.088.000/38
 773.08.088.000/80
 SX/XC 07-10
 SMR 08-10
 452.08.088.000/20
 SX 50 09-10
 462.08.088.000/20
 SX 65 09-10
 470.08.088.000/20
 SX 85

NUMBER PLATE BACKGROUNDS
 3 parts.



773.01.094.050

FORK PROTECTION STICKER SET
 Can be used with closed fork
 protection 780.01.094.000.



U690.7867
 U690.7866

SX 07
 SX/XC/EXC 08-09

FRAME DECALS

Exclusive GRIPZ frame decals help
 protect your frame from damage.





773.07.040.100
 SX 07-10
 XC/EXC/SMR 08-10

HIGH SEAT

Specially designed for riders over 6 feet tall, approximately 20 mm higher.

773.07.040.200
 SX 07-10
 XC/EXC/SMR 08-10

LOW SEAT

Approximately 15 mm lower than standard. Allows shorter riders also to have perfect control of their motorcycles on difficult terrain.

780.07.240.000
 SX 07-10
 XC/EXC/SMR 08-10

SOFT SEAT

Soft foam for more comfort, standard height.



780.07.140.000
 SX 07-10
 XC/EXC/SMR 08-10

EXTRA HIGH SOFT SEAT

Specially designed for riders over 6 feet tall, approximately 35 mm higher.

780.07.140.100
 SX 07-10
 XC/EXC/SMR 08-10

EXTRA HIGH SEAT

Specially designed for riders over 6 feet tall, approximately 35 mm higher.



773.07.140.000
 SX 07-10
 XC/EXC/SMR 08-10

SXS SEAT



780.07.240.100
 SX 07-10
 XC/EXC/SMR 08-10

STEPUP SEAT



780.07.240.200/30
 SX 07-10
 XC/EXC/SMR 08-10

SEAT X

Waterproof, anti-slip grip, polished finishing, fully external plastic shell with different grips, internal expanded foam for maximum comfort, washable with pressure washer and with several solvents.




590.07.013.500/30
 SX 125/450/525 04-06
 EXC 125/200/400/450/525 04-07

8.5 L TANK
 Black, without tankcap.



SXS.03.540.700

SXS FUEL TANK CAP
 Aluminium, CNC machined, without gasket, gasket can be used from the original tankcap.



SXS.05.250.700
 1/4-VERSION

SXS FUEL TANK CAP
 Aluminium, CNC machined, including gasket.



U695.1089

VENT HOSE
 Petrol resistance, perfect for tank and carburettor ventilation, approx. 3 meters long. Should not be used as supply line.



594.31.096.000
 SX/XC/EXC/SMR 00-10

EXPANSION TANK
 At most races a catch tank which all loose hoses must be tucked into, is mandatory for catching any overflowing fuel.



U695.1010

SXS FUEL TANK CAP VENT





780.07.013.133/44 13 L
 SX 07-10
 XC/EXC 08-10
780.07.013.133/30 13 L
 SX 07-10
 XC/EXC 08-10
780.07.013.233/44 21,5 L
 SX 07-10
 XC/EXC 08-10

13 L/21.5 L TANK

Whether it is for a trip to the far corners of the world or a long distance race, the 21.5-litre or 13 litre capacity, slim-line tank cuts down on refueling stops – a big time-saving advantage over long distances. This elegantly designed tank blends perfectly with the tubular frame of KTM Enduro and motocross bikes and does not disturb their characteristic light silhouette. The tank allows the rider plenty of freedom of movement while the large side flanks offer additional support for the thighs when going into a corner. The bike is also easily manoeuvrable when stationary.



U690.8817

SELF ADHESIVE TANK HEAT SHIELD 24 X 24"

Used by the KTM Factory Teams, this self adhesive tank shield helps keep the heat from your engine away from your fuel. Cooler fuel means more power.



590.07.013.200/04A
 SX 00-06
 EXC 00-07

13 L TANK

13 l volume, depending on the model you will need a different seat.

EXC 04-07: 594.07.040.100

SX 04-06: 594.07.040.100

EXC 03; SX 02-03: 590.07.040.300

780.07.013.333/99

SX 07-10

XC/EXC 08-10

11.5 L TANK

Including tankcap and fuel cock.

U690.8898

TANK FOAM

This fuel tank foam holds the fuel in place and virtually eliminates fuel tank slosh. Test riders have stated that the tank foam makes the bike feel 10-15 lbs lighter and lowers the center of gravity.



584.10.001.344/30
4,25 x 17"
584.10.001.444/30
5 x 17"



REAR WHEEL Black anodized.
Sprocket carrier and damping rubbers required for mounting.

584.10.070.000/30
4,25 x 17"
584.10.070.100/30
5 x 17"



REAR RIM Black anodized.
For hubs with sprocket carrier.

584.10.001.344
4,25 x 17"
584.10.001.444
5 x 17"

REAR WHEEL Silver.
Sprocket carrier and damping rubbers required for mounting.

584.10.070.000
4,25 x 17"
584.10.070.100
5 x 17"

REAR RIM Silver.
For hubs with sprocket carrier.

584.09.001.344/30
3,5 x 17" 20 mm
584.09.001.644/30
3,5 x 17" 26 mm

FRONT WHEEL Black anodized.

584.09.070.000/30
3,5 x 17"

FRONT RIM Black anodized.

584.09.001.344
3,5 x 17" 20 mm
584.09.001.644
3,5 x 17" 26 mm

FRONT WHEEL Silver.

584.09.070.000
3,5 x 17"

FRONT RIM Silver.



611.09.099.000 17"
611.09.099.000/20 17"

RIM STICKER SET
Colored, ready cut sticker for adding on front- and rear rim.



546.10.459.000

RUBBER DAMPING BLOCK
For 17" rear wheels with sprocket carrier.




583.10.050.044

SPROCKET SUPPORT
For 17" rear wheels.



548.03.047.000

FOOTPEG SLIDERS
Glass-fibre-reinforced plastic material; fits on all bikes with footrest numbers 590.03.041.250 right and 590.03.040.250 left.



548.03.045.200
SX/XC/EXC/SMR

CRASH PADS FRONT
Will protect your forks in the event of a crash. Mounting possible on all models with 26 mm front axle diameter.



U690.9852

DIGITAL TIRE WARMER
Temperature Adjustable with Solid State Micro-Processor and Digital Display. See actual tire temperature while the warmer runs. Most accurate available on the market. Temperature set point is changed with the push of a button – range up to 212 degrees F. Use higher temps to get ready to hit the track & lower temps for saving Heat Cycles in between track sessions. Safely heat rain tires and different compounds. Soft carrying tote from Ogio. Foam Filled hard case for the digital controllers.



548.03.046.200
SX/EXC/SMR

CRASH PADS REAR
Will protect your swingarm in the event of a crash.



773.10.201.044/30
5 x 17"

REAR WHEEL Black anodized.

594.10.070.000/30
5 x 17"

REAR RIM Black anodized.
For hubs without sprocket carrier.

573.10.001.044
5 x 17"

REAR WHEEL Silver.

573.10.070.000
5 x 17"

REAR RIM Silver.
For hubs without sprocket carrier.



773.09.201.044/30
3,5 x 16,5" 26 mm

FRONT WHEEL Black anodized.

773.09.270.000/30
3,5 x 16,5"

FRONT RIM Black anodized.

584.09.001.744
3,5 x 16,5" 26 mm

FRONT WHEEL Silver.

584.09.070.100
3,5 x 16,5"

FRONT RIM Silver.



586.09.001.044
3,5 x 17" 26 mm

FRONT WHEEL TL

The KTM Supermoto wheel is an innovative, spoked wheel without an inner tube, featuring the usual advantages of puncture protection, thanks to inner-tubeless technology.

The absence of the cast rims' high degree of stiffness provides maximum durability for the spoked wheel with inner-tubeless technology, for onroad as well as offroad riding. This extra advantage increases the quality of the incomparable spoked wheels and utilizes the tires' full power potential.
All wheels have fully machined hubs.

- GREATER PROTECTION AGAINST BREAKDOWNS
- NO MORE FLAT TIRES
- IMPROVED PERFORMANCE AND MOBILITY
- LIGHTER ROTATING MASSES
- WITHSTANDS THE WORST STRESSES AND STRAINS
- REDUCED TIRE WEAR

586.10.001.044
5 x 17"

REAR WHEEL TL

KTM

548.10.001.544 Silver hub
2,15 x 18"

REAR WHEEL Silver EXCEL.



546.10.070.100
2,15 x 19"

REAR RIM Silver EXCEL.

780.10.001.144/30 Enduro
2,15 x 18"
773.10.001.144/30 Motocross
2,15 x 19"

REAR WHEEL Black EXCEL.
Strong, light weight wheels featuring Excel rims and CNC machined hubs.



546.10.070.100/30
2,15 x 19"
548.10.070.000/30
2,15 x 18"

REAR RIM Black EXCEL.

548.09.001.544 Silver hub
1,6 x 21"

FRONT WHEEL Silver EXCEL.

546.09.070.100
1,6 x 21"

FRONT RIM Silver EXCEL.



780.09.001.144/30 Enduro
1,6 x 21"
773.09.001.044/30 Motocross
1,6 x 21"

FRONT WHEEL Black EXCEL.

773.09.070.000/30
1,6 x 21"
780.09.070.000/30
1,6 x 21"

FRONT RIM Black EXCEL.

780.09.099.000
18"/21"; 19"/21"

RIM STICKER SET
Orange colored, ready cut sticker for adding on front- and rear rim.



765.09.099.000
18"/21"; 19"/21"

RIM STICKER SET
Black/White colored, ready cut sticker for adding on front- and rear rim.



548.09.081.060

FRONT AXLE PULLER
For easy removal of the front wheel. For all front axes with a diameter of 26 mm.



SXS.06.540.800 M5
SXS.06.540.810 M4,5

SPOKE NIPPLE SET BLACK
36 pieces.



U695.1439

VALVE CAP SET



SXS.03.540.400
20 > 26 MM

AXLE REDUCTION KIT
Also requires 20 mm front axle 503.09.081.200 and nut 503.09.082.100. This allows the fitting of a front wheel with an axle diameter of 20 mm onto forks designed to normally accept an axle of 26 mm.



U690.8840

SCHRADER VALVE STEM CAPS
Orange anodized cap with schrader valve removal tool.

772.10.001.044/04
2,15 x 18"
772.10.001.144/04
2,15 x 19"

FACTORY REAR WHEEL

Exclusively developed wheels for the KTM factory team. 200 g lighter compared to stock XC/EXC wheels, 32 spoke design with black anodized aluminum nipples. Features specially made orange anodized rims. Black anodized machined metal hubs. Ordering the complete set, you will get a special spoke wrench with the correct adjusted torque (4,3 Nm) and correct wrench size (6,5 mm and 6,8 mm) included.



772.09.099.000/04
XC/EXC

FACTORY WHEEL SET 21 – 18"

The set includes front wheel 21" and rear wheel 18", plus spoke wrench with correct adjusted torque and correct wrench size.

772.09.099.100/04
SX

FACTORY WHEEL SET 21 – 19"

The set includes front wheel 21" and rear wheel 19", plus spoke wrench with correct adjusted torque and correct wrench size.

772.09.001.044/04
1,6 x 21"

FACTORY FRONT WHEEL

Exclusively developed wheels for the KTM factory team. 200 g lighter compared to stock XC/EXC wheels, 32 spoke design with black anodized aluminum nipples. Features specially made orange anodized rims. Black anodized machined metal hubs. Ordering the complete set, you will get a special spoke wrench with the correct adjusted torque (4,3 Nm) and correct wrench size (6,5 mm and 6,8 mm) included.





548.03.040.000
SX / XC / EXC / SMR

ADJUSTABLE FOOTREST

These footrests offer a wide range of adjustability. They can be tilted 5 degrees forward or backward, and they can be raised or lowered by 6 mm.



780.03.940.044
SX / XC / EXC / SMR

PIVOT PEGZ

Pivot Pegz have a unique & precisely tuned spring loaded pivoting action that actively tracks with the motion of the rider's feet. Used by thousands of riders worldwide. Patented & race proven pivoting action improves grip, comfort & control while actively promoting correct riding technique & reducing fatigue.



548.03.095.000

FOAM FOR FOOTREST



548.03.040.050
FOR 548.03.040.000

ADJUSTABLE FOOTREST SLIDERSSET

503.10.800.118/04
780.10.167.118
5/8 x 1/4

CHAIN Z RING

The Z-Ring compresses when assembled, creating a spring effect that produces a long lasting seal. The special Z-Ring section enhances chain flexibility and smooth operation. The conical section of the Z-Ring provides accurate positioning on the bushing. The lubricant is trapped between the plates and the lobes of the Z-Ring, keeping the Z-Ring lubricated and prolonging its life.

503.10.165.118/04
503.10.165.118
5/8 x 1/4

CHAIN MX

High strength and high efficiency MX chain

780.04.070.000/04
SX 07 - 10
XC / EXC / SMR 08 - 10

CHAIN GUIDE ORANGE



U690.8835

LOWER CHAIN PAD

Made of high quality molded plastic designed to decrease chain drag.



461.10.165.112
1/2 x 1/4

CHAIN 65 SX



451.10.165.104
1/2 x 3/16

CHAIN 50 SX



451.10.265.104
1/2 x 3/16 RACING

RACING CHAIN 50 SX
High-strength factory chain.



583.10.051.038 Z38
 583.10.151.040 Z40
 583.10.051.042 Z42
 583.10.151.045 Z45
 583.10.151.048 Z48
 583.10.151.049 Z49
 583.10.151.050 Z50
 583.10.151.051 Z51
 583.10.151.052 Z52
 SX/EXC/SMR

REAR SPROCKET

Made from 7075-T6 aluminum, these light weight sprockets offer exceptional durability.



582.10.051.042 Z42
 582.10.051.045 Z45
 582.10.051.048 Z48
 582.10.051.050 Z50
 SX/EXC/SMR

STEEL SPROCKET

Great option for those looking for maximum longevity from a rear sprocket.

500.33.029.012 Z12
 500.33.029.013 Z13
 500.33.029.014 Z14
 500.33.029.015 Z15
 SX/EXC/SMR

FRONT SPROCKET

U695.1067 T41
 U695.1068 T44
 U695.1069 T48
 U690.6815 T49
 U695.1070 T50
 U690.6816 T51
 U695.1071 T52

U695.1254 T44
 U695.1255 T45
 U695.1256 T46
 U695.1257 T47
 U695.1258 T48

SX 85
 U695.1250 T44
 U695.1251 T46
 U695.1252 T48
 U695.1253 T50
 SX 65

RENTHAL SPROCKET

Made exclusively for KTM by Renthal, these orange anodized rear sprockets are used by the KTM Race Teams. Lightweight, durable and provide great performance.



U690.7890
 SX/XC/EXC 4-STROKE 02-10

COUNTER SPROCKET PROTECTOR

This innovative product not only looks good, but helps keep your sprocket and chain from damage caused by debris.

584.10.051.038/04 Z38
 584.10.051.040/04 Z40
 584.10.051.042/04 Z42
 584.10.051.044/04 Z44
 584.10.051.046/04 Z46
 584.10.051.048/04 Z48
 584.10.051.049/04 Z49
 584.10.051.050/04 Z50
 584.10.051.051/04 Z51
 584.10.051.052/04 Z52
 SX/EXC/SMR
 461.10.051.150/04 Z50
 SX 65

470.10.051.148/04 Z48
 470.10.051.149/04 Z49
 470.10.051.150/04 Z50
 SX 85

REAR SPROCKET ORANGE

This sprocket has steel teeth and an aluminium inner part. Both sections are permanently joined by high strength rivets. Stealth sprockets last at least 3 times longer than any other aluminium sprocket and is half the weight of a normal steel sprocket. The steel teeth also offer greater life for your whole system. Not just the sprocket, but the chain and front sprocket as well. If you are looking for the ultimate in quality and performance, this sprocket will meet your demand.



590.13.030.100
SX/XC/EXC

BRAKE PADS FRONT

Organic with ceramic underlayer for heat retention, lower friction rate as sintered pads gives better control.



548.13.090.100
SX/XC/EXC/SMR 04-10

BRAKE PADS REAR

Organic with ceramic under layer for heat retention, lower friction rate as sintered pads gives you a better controllability.



590.13.090.100
SX/EXC 98-03

BRAKE PADS REAR

Organic with ceramic underlayer for heat retention, lower friction rate as sintered pads gives better control.



590.13.030.000
SX/XC/EXC

BRAKE PADS FRONT

Newly designed sintered pads, high friction rate – excellent braking performance.



548.13.090.200
SX/XC/EXC/SMR 04-10

BRAKE PADS REAR

Fully sintered pads, high friction rate – Excellent braking performance especially in muddy or wet conditions.



590.13.090.000
SX/EXC 98-03

BRAKE PADS REAR

Newly designed sintered pads, high friction rate – excellent braking performance.



KTM



SXS.06.125.512
 SX 04-08
 XC/EXC 04-09
SXS.09.125.512
 SX 09-10
 XC/EXC 10

SXS FRONT BRAKE CALIPER

Thanks to the higher mechanical characteristics of the aluminium alloy and the extremely developed calliper profile, it's been possible to reach even higher calliper stiffness without any weight increase. This gives the brake system the better feeling and greater performance! For 260 mm disc.



594.13.001.000/04
 SUPERMOTO

CNC-MACHINED HANDBRAKE CYLINDER

This new Radial Master Cylinder (12 mm) was developed for Offroad and Supermoto bikes. It is very compact and very light (305 g). CNC Machined from solid Alloy, using a three bearing system, it delivers an exceptional braking feel. The short lever is easy to adjust and the overstroke of the piston is individually and accurately adjusted at the manufacturer. Fits perfectly with the 4-piston caliper 584.13.015.644/04 and the 6-piston caliper 594.13.015.044/04.



503.13.082.100
 SX/EXC 00-03
503.13.082.200
 SX/EXC 04-10

BRAKE PAD RETAINING PIN

Lost pins, a thing of the past – easy to change brake pads, even in dirty conditions.



548.12.063.044
 SX/XC/EXC

REAR BRAKE PEDAL SAFETY WIRE

548.13.951.000
 SX/XC/EXC/SMR

STEP PLATE FOR BRAKE LEVER



SXS.07.125.712 rear
 SX/XC/EXC

SXS REAR BRAKE CALIPER

Thanks to the higher mechanical characteristics of the aluminium alloy and the extremely developed calliper profile, it's been possible to reach even higher calliper stiffness without any weight increase. This gives the brake system the better feeling and greater performance!

573.13.001.000
 SUPERMOTO

RADIAL HAND BRAKE CYLINDER SUPERMOTO

16 mm piston. Brake fluid reservoir 545.13.030.044 and retaining bracket 573.13.001.050 are necessary for mounting.



770.13.914.000
 SX 09-10
 XC/EXC 10
 SIX DAYS 09-10

BRAKE CALIPER SUPPORTS

To be used with 320 mm brake disc 583.09.060.000 and 2 piston Brembo caliper.



584.13.014.000
 SX 04-08
 EXC 04-09

BRAKE CALIPER SUPPORTS

To be used with 320 mm brake disc 583.09.060.000 and 2 piston Brembo caliper.



584.13.015.644/04
SX/XC/EXC

4-PISTON BRAKE CALIPER

Mounting possible with original or PowerParts brake setup. Brake disc 310 mm 586.09.060.000 is necessary. Only for use with 17" or 16,5" front wheel.



594.13.015.044/04
SX/XC/EXC

6-PISTON BRAKE CALIPER


We recommend master cylinder 587.13.001.000 and brake hose 594.13.011.000 (SX) or 800.13.011.000 (XC). Brake disc 310 mm 586.09.060.000 is necessary. Only for use with 17" or 16,5" front wheel.



770.13.920.000
SX 04-08
XC/EXC 04-09
780.13.920.000
SX 09-10
XC/EXC 10
SIX DAYS 09

FRONT BRAKE BLEEDER SCREW

Brake system bleeding as simple as possible. Change the original bleeder screw on the brake caliper to this new bleeder screw with included holding valve. You just have to open the screw of the non return-valve a half turn and pump the brake fluid with the brake lever through the brake system. The holding valve avoids that air is coming back into the system. You don't need to have a second person to pump or open and close the bleeder screw. Changing the brake fluid or bleeding the system is done in seconds. Comes with anodized mud cap.



U695.1981
SX/XC/EXC/SMR 04-10

REAR BRAKE RESERVOIR CAP

Orange rear brake reservoir cover, adds the factory look to your KTM.



770.13.920.100
SX/EXC

BANJO BOLT WITH BLEEDER FUNCTION


For rear brake calliper.



U690.7846
SX/XC/EXC 04-10

ORANGE REAR BRAKE RESERVOIR EXTENDER

This item adds capacity to your rear brake reservoir. The cooling fins help dissipate heat and help you avoid brake fade.





586.09.060.000 310 mm
WAVE BRAKE DISC



780.09.061.000/30
FRONT BRAKE DISC GUARD
The most innovative brake disc guard available on the market. The unique fitting system with one central adapter removes the axle spacer. This allows wheel change without removing the disc guard.



548.10.060.200 220 mm
SX/XC/EXC
WAVE BRAKE DISC



U690.7872
SX 250/450 03
SX/XC/EXC 04-10
BLACK REAR BRAKE ROTOR GUARD
Protects your rear brake disc from damaged caused by rocks and debris. Replaces stock brake caliper carrier.



548.10.061.100/04 04-10
SX/XC/EXC
548.10.061.100/30 04-10
SX/XC/EXC

REAR BRAKE DISC GUARD
Protects the rear brake disc in the event of a crash or from stones or other obstacles encountered in the heat of battle.




548.09.060.300 260 mm
SX/XC/EXC
WAVE BRAKE DISC
Floating mounted stainless steel disk. Used by KTM factory race team riders.



780.10.960.000 220 mm
SX/XC/EXC
BRAKE DISK
Full version for muddy track conditions, minimizes brakepad wear.





780.35.936.000
 SX 07-10
 XC/EXC/SMR 08-10
595.35.036.044
 SX 4-STROKE 01-06
 EXC 4-STROKE 01-07
770.35.036.000
 XC-F 250 07

RADIATOR PROTECTION

Perfect protection for the radiators, easy mounting. Cannot be used in conjunction with the 13 litre tank.



503.35.036.000
 SX 2-STROKE 98-06
 EXC 2-STROKE 98-07
 SX-F 250 06

RADIATOR PROTECTION



590.35.041.044
 EXC 4-STROKE 01-07

FAN

For extreme conditions such as at the Erzberg or Extreme Lumezzane.



548.35.080.000

RADIATOR MUD FOAM

For extremely muddy conditions.



780.35.041.044
 EXC/XC-W 4-STROKE 08-10

FAN

For extreme conditions such as at the Erzberg or Extreme Lumezzane.



551.35.041.044
 XC 250/300 08-10

FAN

Mounting possible only in combination with 2 strokes with electric start.



U690.9861
 XC-F 250/XC-F 07-10
U690.8887
 SX 125/144/150 07-10
U690.8888
 SX-F/XC-F 450/505 07-10
U690.9862
 EXC/XC-W 450/530 08-10

ORANGE RADIATOR HOSES

The next level of performance and style! These hoses feature reinforced silicone rubber specifically designed to endure extreme pressures and temperatures and also help reach optimum coolant flow. Polymers are reinforced using polyester or Nomex for max durability and resistance to UV, water, ozone and oxygen.

773.35.955.044
 SX-F/XC-F 450/505 07-10
780.35.955.044
 EXC/XC-W 400/450/530 08-10
770.35.955.044
 SX-F/XC-F 250 07-10

WATER PUMP IMPELLER

The bigger water pump will increase the flow rate which helps reduce the water temperature. Can be used on SX-F/XC-F 450/505 with Akrapovic headers only.





452.03.090.000
SX 50 09-10

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



503.32.075.000
SX 125/200 98-06
EXC/XC 125/200 98-07

CASE GUARD

Effective protection for the clutch hydraulic cylinder.



548.32.075.100
SX/EXC 250/300 98-05
548.32.075.200
SX 250 06
XC 250/300 06-07

CASE GUARD

Effective protection for the clutch hydraulic cylinder.



470.03.090.100
SX/XC 85/105

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



461.03.090.000
SX/XC 65 02-08

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



462.03.090.000
SX/XC 65 09-10

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



551.03.190.000
XC 250/300 08-10

PLASTIC SKID PLATE WITH QUICK-FASTENER



503.03.090.500
XC 200 08-10

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



548.32.075.344
SX 250 07-10
XC 250/300 08-10

CASE GUARD

Effective protection for the clutch hydraulic cylinder.



503.03.090.300
XC/EXC 125/200 04-07

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



548.03.090.300
SX 250 07-10
XC 250/300 08-10
503.03.090.400
SX 125/144/150 07-10
XC 200 08-10

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



551.03.090.000
EXC/XC 250/300 04-10

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.

KTM



590.03.090.700
EXC/XC-F 400/450/525 04-07

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



770.03.090.200
SX-F 250 07-10
XC-F 250 08-10

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



780.03.090.000
EXC-R/XC-W 450/530 08-10

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



770.03.090.300
XC-F 250 08-10

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



770.03.090.100
XC-F 250 07

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



773.03.090.000
SX-F 450/505 07-10
XC-F 450/505 07-09

SKID PLATE

Made from high strength aluminium, effective protection for the frame and engine.



590.03.090.300
 SX/EXC 250/400/450/525 00-03
590.03.090.600
 SX 450/525 04-06
 EXC 400/450/525 04-07
 SMR 04-06

PLASTIC SKID PLATE WITH QUICK-FASTENER
 High-strength plastic, removed in seconds.



780.03.190.000
 EXC/XC-W 450/530 08-10

PLASTIC SKID PLATE WITH QUICK-FASTENER
 High-strength plastic, removed in seconds.



770.03.190.000
 XC-F 250 08-10

PLASTIC SKID PLATE WITH QUICK-FASTENER
 High-strength plastic, removed in seconds.

590.32.075.000
 SX 450/525 00-06
 EXC 400/450/525 00-07
 SMR 04-07

CASE GUARD
 Effective protection for the hydraulic cylinder of the clutch.



770.32.075.000
 SX-F 250 06
770.32.075.100
 XC-F 250 07

CASE GUARD
 Effective protection for the clutch hydraulic cylinder of the clutch.



773.32.075.044
 SX-F 450/505 07-10
 XC-F 450/505 07-09
780.32.075.044
 EXC/XC-W 450/530 08-10

CASE GUARD
 Effective protection for the hydraulic cylinder of the clutch.



770.32.075.244
 SX-F 250 07-10
 XC-F 250 08-10

CASE GUARD
 Effective protection for the hydraulic cylinder of the clutch.



590.03.090.250

FOAM
 To be mounted between engine and skid plate. Allowing less mud to collect hence a better cooling of the engine.





590.06.022.000
SX/XC/EXC 98-10

DUST COVER FOR AIR FILTER
Recommend for sand tracks. Should be mounted together with oiled air filter and dry dust cover 590.06.019.000.



590.06.019.000
SX/XC/EXC 98-10

DUST COVER FOR AIR FILTER
This coarse foam pre-filter will act as an additional layer of protection and extend the service time between filter cleanings, recommended for very dusty conditions.




590.06.021.000
SX/XC/EXC 98-10

RAIN COVER FOR AIR FILTER
Recommended for very wet conditions.



590.06.098.000
SX/EXC/SMR 2-STROKE/4-STROKE 98-05
SX 2-STROKE 06
EXC 2-STROKE 06-07
SX 85/105
590.06.098.100
SX 07-10
XC/EXC 08-10

AIR FILTER BOX COVER
For cleaning of the airbox.



780.06.003.050/04
780.06.003.050/30
SX 07-10
XC/EXC/SMR 08-10

SXS AIR BOX COVER
For better airflow.



SXS.08.450.700
SX-F/XC-F 450/505 07-10
SMR 08-10

FACTORY AIR FILTER KIT
For better airflow.



592.06.003.600
SX 04-06
EXC/SMR 04-07

SXS AIR BOX COVER
For better airflow, including cleanable airfilter.

583.12.078.000

TOOL BAG



590.12.090.100
EXC 05-07

ROADBOOK CARRIER

Turn your EXC into a Rally. Stable construction for racing use. For mounting the roadbook carrier 600.12.073.000 the wiring harness 590.12.090.060 and remote control 600.12.073.080 are also required.



780.12.090.000
EXC 08-10

ROADBOOK CARRIER


Turn your EXC into a Rally. Stable construction for racing use. For mounting the roadbook carrier 600.12.073.000 the wiring harness 590.12.090.060 and remote control 600.12.073.080 are also required.



601.12.092.070

HANDLEBAR SUPPORT

Universal application possibilities for mounting the GPS holder or Roadbook.



780.03.923.050
EXC 07-10

STAND PLATE BIG

Special for soft underground. Size: 75 x 50 mm.



600.12.073.000

ROADBOOK

Electrical drive incl. paper brake, manual operation possible, extra large paper roll: up to 80 A5 sheets (approx. 17 m), Waterproof, Lighting included, opens and closes with no tools, housing dimensions: (L x W x H) 197 x 124 x 70 mm. If you want mount the roadbook on the handlebar support 601.12.092.070 you need also for mounting 600.12.173.070.





SXS.03.540.550
XC 08-10

540 BIG BORE KIT

Full 540 cc makes for huge amounts of torque and even more top-end power.



SXS.06.450.235
XC 08-10
SXS.07.450.235
SX 09-10

FACTORY CLUTCH COVER OUTSIDE

CNC machined clutch cover with factory look. 6 pieces of M6x16 screws (0984060163) for mounting are necessary.



773.35.955.044
SX 09-10

WATER PUMP IMPELLER

The larger water pump will increase the flow rate which helps reduce the water temperature.



590.31.017.200

FACTORY MIXTURE CONTROL SCREW

Allows you to adjust the mixture without any additional tools.



U695.1157
XC 08-10

FACTORY OIL FILTER COVER
CNC machined.



750.38.041.100
SX 09-10

FACTORY OIL FILTER COVER
CNC machined.



SXS.05.450.200

FACTORY OIL PLUG
CNC machined.



830.10.151.037 Z37
830.10.151.038 Z38
830.10.151.039 Z39

STEEL SPROCKET



830.10.251.037/04 Z37
830.10.251.038/04 Z38
830.10.251.039/04 Z39

REAR SPROCKET ORANGE



SXS.09.450.031
SX 09-10

FACTORY IGNITION COVER PLUG



SXS.07.450.245
SX 09-10

FACTORY RETAINING PLATE
Add some "bling" to your KTM powerplant. Covers are constructed of aluminum and they look great! 1 piece.



830.05.183.000
SX 09-10
XC 08-10

AKRAPOVIC SILENCER TITANIUM

The Akrapovic system is designed for ATV riders who are looking for the finest available aftermarket exhaust systems and know how to get the most out of the increased performance on the track. Muffler inserts can be removed. Mounting possible with original headers and factory headers.



830.05.107.000
XC 07-10

AKRAPOVIC HEADERS TITANIUM
Mounting possible with factory silencer and original silencer.



835.05.183.000
SX 09-10
XC 08-10

FMF SILENCER

The FMF SLIP-ON system is a starting-level tuning component for ATV. It is an excellent combination of price and performance. Mounting possible only with original headers.



590.06.098.100

AIR FILTER BOX COVER
For cleaning of the airbox.



830.13.030.200 FRONT
830.13.090.200 REAR

SINTER BRAKE PADS FRONT
newly designed sintered pads, high friction rate – excellent braking performance especially in muddy or wet conditions.



590.06.021.000

RAIN COVER FOR AIR FILTER
Recommended for very wet conditions.



830.13.962.000

REAR BRAKE RESERVOIR CAP
Orange rear brake reservoir cover, adds the factory look to your KTM.



590.06.019.000

DUST COVER FOR AIR FILTER
This coarse foam pre-filter will act as an additional layer of protection and extend the service time between filter cleanings, recommended for very dusty conditions.



830.13.001.100

HANDBRAKE CYLINDER COVER
CNC machined.

SXS.05.450.230
XC 08-10

HYDRAULIC CLUTCH COVER
CNC machined.



SXS.09.450.210
SX 09-10

HYDRAULIC CLUTCH COVER
CNC machined.



830.11.966.050

IGNITION RELOCATION KIT



780.02.079.020/30


SPOILER FOR MX HANDGUARDS

780.02.079.000/04
780.02.079.000/20
780.02.079.000/30

MX HANDGUARDS

With their split segments, the new KTM handguards offer a lightweight and uncompromising racing look in the latest KTM design. Two-component injection moulding technology is used here, offering protection for your most important "operating controls" – your hands – in the most critical situations. The black mid-section provides maximum strength, ensuring optimum protection. The orange top and bottom segments are extremely flexible and can tolerate the roughest handling. For extremely muddy conditions it is possible to mount an additional spoiler: SX/XC/EXC 780.02.079.020/30, fits on all models.






830.01.095.000
SX 09-10
XC 08-10
835.01.095.000
SX 09

FRONT SHOCK COVERS NEOPRENE

The perfect neoprene protection for your front shocks.



830.03.094.100

FRAME PROTECTION SET

Reliably prevents damage to the frame paintwork from dirt, crashes or the rider's boots.



830.03.094.000

NERF BARS
Without heel guard.



830.03.004.000

FRONT BUMPER AND GRAB BAR INCLUDED



830.03.097.100

NERF BARS
With heel guard.



830.32.075.044
XC 08-10
835.32.075.044
SX 09-10

CASE GUARD



830.03.190.000
SX/XC 08-10

LONG SKID PLATE ALUMINIUM



830.61.095.000 LEFT
XC 08-10
830.61.096.000 RIGHT
XC 08-10

A-ARM SKID PLATE

U690.9857
SX/XC

ALUMINIUM BATTERY HOLDER



830.03.905.000
SX 09-10
XC 08-10

REAR GRAB BAR

Features a predrilled number plate with two mounting configurations. Made of high strength aircraft grade aluminum and durable black powdercoat finish.



830.02.021.000

GRIP SET DUAL COMPOUND

KTM dual compound grips combine the durability of KTM Firm Compound Grips with the feel and absorption qualities of the KTM range of softer compound grips. Harder orange compound is used for the flange, inner sleeve and outer-end of the grip for maximum durability, where as softer black compounds are used for the outer diameter of the grip, which is in direct contact with the palm, fingers and thumb.





U690.8770
SX/XC

FACTORY GRAPHIC KIT

Full factory look. The same graphics used by KTM Factory Race Teams.



U690.8771
U690.8772
SX/XC

GRAPHIC KIT



830.08.072.144/04
830.08.072.144/30
830.08.072.144/20

REAR FENDER

830.08.073.000/04
830.08.073.000/30

INTERCHANGEABLE FENDERS

Oversized, bolt on rear fenders for added protection.

830.08.001.001/04
830.08.001.001/30
830.08.001.001/20

FRONT PLASTIC PART

830.08.011.000/04
830.08.011.000/30
830.08.011.000/20

FRONT FENDER RIGHT

830.08.010.000/04
830.08.010.000/30
830.08.010.000/20

FRONT FENDER LEFT





U690.9863
STEERING DAMPER
 Stabilizer with three fully adjustable circuits. Has an adjustable damping control that allows 25 adjustment clicks while riding. Allows you to adjust the amount of degrees of damping you want from centerline. Has a "High Speed Circuit" designed to absorb those sharp edged jolts. Successfully works for every type of off-road application.

830.61.000.044/30
XC 08 - 10
A-ARMS LONG SET
 With the long A-arm set you can enlarge the wheelbase from 1,115 mm to 1,265 mm.



U690.9848
10" HIPER WHEELS
U690.9849
9" HIPER WHEELS
U690.9850
8" HIPER WHEELS



MUD PLUG
 Clear plexiglass cover, easily installed behind the beadlock ring to prevent mud buildup inside your KTM by Hiper ATV wheels.

U690.8828
10 X 5 SINGLE BEADLOCK VORDERRAD (4+1)
10 X 5 SINGLE BEADLOCK FRONT WHEEL (4+1)
U690.8829
8 X 8 SINGLE BEADLOCK HINTERRAD
8 X 8 SINGLE BEADLOCK REAR WHEEL
U690.8830
9 X 8 SINGLE BEADLOCK HINTERRAD
9 X 8 SINGLE BEADLOCK REAR WHEEL



U695.1010
FACTORY FUEL TANK CAP VENT
 Without tankcap.



SXS.05.250.700
FACTORY FUEL TANK CAP
 Aluminium, CNC machined, including gasket.



451.03.023.300
SX 50
470.03.020.000
SX 85 14"
546.03.020.000
SX 65
SX 85 16"
SX/XC/EXC

PLUG IN STAND



U695.1101

METAL BIKE STAND

This stand features a stamped top and base, oval uprights, round-cross braces, injection molded rubber traction top, and a nylon parts tray. Built to last.



780.29.062.000/30

MAGNETIC BOLT PAN

With magnetic application, no more lost screws!



U695.1409

MAGNETIC BOLT PAN

An easy way to keep track of those bolts when maintaining your KTM. Features a strong magnetic bottom with a rubber coating.



548.29.055.000
SX/XC/EXC
592.29.055.000
SMR

LIFT STAND

In 2 different heights available:
SX/EXC: 310/400 mm
SMR: 240/340 mm
160 kg max. Load.



780.29.155.100
SX/XC/EXC/SMR

SX STAND SET

High quality poly resin stand developed for KTM Offroad bikes. Features:

- 2 different heights possible to use,
- Can be used as stand for the quickfill system,
- Storage shelf for front and rear axle,
- Attachment points for mud removal tool, exhaust plug, magnetic bolt pan and additional tools.

This set includes the stand, mud removal tool, exhaust plug and magnetic bolt pan. Stand only: (780.29.155.000).



U695.1277

FOLDING BIKE RAMP

This lightweight KTM bike ramp is the best one we have tested for daily use. This folding ramp is made of a high strength aluminum, and designed for reliable easy use. The ramp also incorporates a safety strap, when used properly, keeps the ramp from sliding forward when you are loading and unloading your bike. Total length is 6 ft 8 inches, folded its 3 ft 4 inches. Weighs less than 5,5 kg. 180 kg max. capacity.





548.29.035.000

MUD REMOVAL TOOL

Handle is sized to receive a spare grip (not included) you might have laying around.



548.29.094.000

FORK SUPPORT



595.12.030.100

EXHAUST PLUG

Keeps water out of the silencer when cleaning, for 40–62 mm inner diameters.



595.12.030.000

EXHAUST PLUG

Keeps water out of the silencer when cleaning. For 15–38 mm inner diameters.



U695.1130

ORANGE CABLE TIES

100 pieces, length: 20 cm.



780.12.031.000

QUICKFILL SYSTEM

Special developed for KTM tanks which are using the 1/4 turn Tankcaps. 15 L volume. 6–9 seconds for 5 liter, 18–20 seconds for 15 liter. The Motocross stand 780.29.155.000 can be used as stand.



780.12.031.090

STAND FOR QUICKFILL SYSTEM



U695.1562

PLASTIC DRUM

KTM orange plastic drum. Complete with flexible hose and twist-on cap. Approximately 18 liters volume. Should not be used for the transportation of fuel or to store fuel indoors.

625.12.007.000

PROTECTIVE COVER INDOOR

No chance for dust, or unwanted scratches etc to damage your bike, thanks to the KTM indoor bike cover which makes your bike an eye-catcher in the garage as well. The cover is made from a special fabric with a distinctive structure that does not allow dust or condensation to pass through. The inner-side has a soft lining.



590.12.007.000

PROTECTIVE COVER OUTDOOR

Strong, lightweight bike cover that is UV and water resistant. The sewn in elastic band along the bottom keeps the cover secure to the bike. Great for travel, this cover folds up small into the supplied carrying case. Universal sizing fits most KTM's.



SXS.05.125.600

CLEAN GRIP SET

Helps prevent oily grips.



U695.5000

SOFT TIE-DOWNS WITH HOOKS

These tie-down straps have soft ties built in, so you don't scratch your bars. KTM orange/black with distinctive KTM Racing markings.

548.12.004.000

FACTORY TRANSPORT COVER

For sprockets of up to 50 teeth and brake discs from 220 to 260 mm.



610.12.016.000

BRAKE LOCK

U690.8860

TOW STRAP

This 15 foot strap incorporates two 10K snap hooks. Superior quality and strength.



U695.5037

SOFT TIES

These tough KTM soft ties allow you to strap down your bike without scratching your handlebars or tank. Built from a durable ballistic nylon, they have a 615 LB weight capacity. Dimensions: 1.5" x 6'.



U690.8859

RATCHET SOFT TIE-DOWNS WITH CLIP HOOKS

This tie-down offers the security of a ratchet strap and the convenience of a soft-tie. Extra-wide hooks allow you to secure your bike easily without the fitment issues of smaller hooks. Features standard KTM 1.5" webbing with 4400 lbs ratchets. Great for hauling heavier motorcycles.



U690.7825

SOFT TIE-DOWNS WITH CLIPS

Our KTM Tie-Downs feature built-in soft tie loops that allow you to secure your KTM without scratching your handlebars. These extra wide webbing units feature a clip hook on one end, plus high quality friction lock fasteners. KTM orange/black with distinctive KTM Racing markings.





584.29.074.100

BATTERY CHARGING AND TESTING UNIT

Test, charge and store batteries: a fully automatic and protective battery charger thanks to a programmed charging characteristic. The well arranged LC-Display shows the charge state, reverse polarity protection, short-circuit-protection, overload protection; absolutely simple and safe.



773.12.030.000

FOOT-AIR PUMP

Mini-footpump with pressure gauge on the swiveling valve head that fits all prevalent valves. Integrated double-cylinder with pressure switch-over to high pressure. Max. 12 bar/160 psi. Height: approx. 170 mm folded together.



773.29.068.000

TIRE GAUGE DIGITAL

Comfortable and easy to use. Fits all currently available valves. Pressure display in bar or psi. Integrated pressure release valve for accurate pressure adjustment. Switchable display and work area lighting. Battery saver mode by means of automatic switch-off. Max. measurable pressure 11 bar/154 psi.



U695.1099

TIRE GAUGE

0 – 60 PSI; This accurate gauge is a must have for every KTM tool box. Features a stainless steel braided line, rubber coated exterior and a pressure release button.

U690.9801

BATTERY CHARGER

Battery charger with test function. Further functions:
 - constant current charge,
 - constant voltage charge,
 - float charge.
 Includes cable to fix on the battery with quick plug to be connected to the charger.



U690.7854

WIRE PLIERS

An essential tool for installing your grips and safety wiring your bikes for racing events. A high quality tool that will provide you with years of service.



548.12.016.000

SAFETY WIRE

Stainless steel type 302/304 ASTM wire. 025 Diameter. 1 lb.



U695.1045

TIRE IRON SET

These attractive, orange anodized alloy Tire Irons are the perfect item for your tool cabinet, as well as the tool bag you take on off-roading. Super strong, aluminum, lightweight design built in 27mm, 13mm, and 10mm handle end box wrenches and a wide spoon end for tire repairs.



000.29.098.200

SCREW DRIVER SET

High quality 5 piece screw driver set in KTM design.



510.12.093.000

TIRE IRON LONG



510.12.092.000

TIRE IRON SMALL



780.29.065.000/04

OIL FLASK

Perfect for 2 stroke riders "on tour". The small flask finds space in your bum bag or in the jacket. 250 ml volume, features scales for different mixing ratios (1:40/2,5 %; 1:50/2 %; 1:60/1,7 %; 1:80/1,25 %).



780.29.063.000

MEASURUNG CUP 1000 ML

Volume 1 liter. Features scales for volume and different mixing ratios. Perfect for oil change on your bike and for preparing 2 stroke mixtures in the can. Easy handling due ergonomic form.



000.29.099.100

SX 07 - 10
XC/EXC 08 - 10

BOLT KIT

All most important parts included for SX/EXC models 30 % cheaper compared to individuell parts price.



U690.7851

PLIER SET

A high-quality 3pc plier set. Set includes side cutters, needle nose and slip-joint pliers.



U690.7856

HEX DRIVER SET

Set features a ball-end Allen Wrench side and a straight end side for those tight bolts. KTM molded resin ergonomic no-slip handles. 3, 4, 5, 6, and 8 mm. Lifetime Warranty.



780.29.064.000/04

SPARK PLUG HOLDER

Offers space for keeping fuses.



U695.1384
SX/XC/EXC 250/300 04 - 10

POWER VALVE ADJUSTMENT TOOL

A must-have tool for adjusting your power valve properly.



U695.1017
ALL OPEN CARTRIDGE 48 MM FORKS

FORK CAP REMOVAL TOOL

Here's the perfect tool for removing the fork caps the right way. Designed to fit over the pre-load adjuster. A must for every KTM tool bench.



U695.1172

SHOCK SPRING ADJUSTMENT TOOL

A shock spring tool that allows you to adjust the spring pre-load without having to remove the shock. Makes track-side adjustments a breeze.



U695.1188

CLEANING KIT

Everything you need to keep your KTM looking showroom clean. Kit includes a 5 gallon KTM bucket, mud scraper, 1 lt spray bottle of Motorex Moto Clean 900, 15 mm x 38 mm exhaust plug, sponge and a quick-dry towel.



U690.7853

METRIC COMBO WRENCH SET

This high-quality wrench set will give you years of service. All the sizes you need for your KTM. Sizes include 8, 10, 12, 13, 14, 17, 19, 21, 22, 24, and 27mm. Lifetime Warranty.






000.29.090.000

SAG SCALE

Simplifies shock preload measuring. Rigid folding design fits in most tool boxes.



583.10.025.000

AXLE GAUGE

579.29.020.000

SX / XC / EXC / SMR

CHAIN BREAKER

510.12.091.000

SPOKE WRENCH

6 and 7 mm.

000.29.020.000

SX 50/65

SPOKE WRENCH

5 and 5,6 mm.



000.29.098.000

TOOL BOX

With this 1/4" drive tool box small jobs on your KTM can be done quickly and efficiently. Whether it's changing the plastic parts or carrying out an oil change on your KTM, you'll find the right tool here. 38-item, orange tool box; high-quality chrome-vanadium tools. Ratchet (with locking device), clamping bolt, two extensions and socket wrench. Nut spinners from 4 to 14; Allen keys from 3 to 8; Phillips, slotted, as well as Torx bits.



000.29.098.100

TOOL BOX

With this 3/8" drive tool box small jobs on your KTM can be done quickly and efficiently. Whether it's changing the plastic parts or carrying out an oil change on your KTM, you'll find the right tool here. 60-item, orange tool box; high-quality chrome-vanadium tools. Ratchet (with locking device), clamping bolt, two extensions and socket wrench. Nut spinners from 6 to 24; Allen keys from 3 to 10; Phillips, slotted, as well as Torx bits from 15 to 55.



590.29.041.000

0,10; 0,12; 0,15; 0,20; 0,25.

590.29.041.100

0,05; 0,10; 0,15; 0,20; 0,25; 0,30; 0,35.

FEELER GAUGES



503.05.017.000

SPRING HOOK

Easy spring removal.



600.12.016.000

HIGH SECURITY U-LOCK

- Double closing U-type lock.
- Hardened steel body.
- 7 pin tubular lock, drill protected, complies with best standards, 250 000 key variations, increased resistance to picking, supplied with 2 keys.
- Rotating PVC lock protector.
- Hardened steel shackle, resists hacksaws and boltcutters.
- Corrosion protection by electrical deposit treatment, PVC coated.
- Tensile strength superior to 12 tons.



U695.1126

SPOKE TORQUE WRENCH

Avoid the common problem of overtightening your spokes. This wrench is preset (5,4 Nm) and lets you know when your spokes are properly tensioned. 6,9 mm width.